

2015

maica™

mai™
TCS
Collection
+ CARNELIAN

WOODWORK

Laminates

Maica Laminates

2015

Disclaimer

- All Maica representations here are based solely on the recommendation of maiCompact and maiConcept compact laminates.
- The illustrations in this catalogue are solely meant for illustration purposes only. The colour perception may be influenced by variations in ambience lighting and angle of perception. Customers are advised to refer to actual samples from sales representatives with reference to maiCompact and maiConcept catalogues.
- The measurements in the illustrations are only for standard recommendations. Actual measurements for applications will depend on building structures and specific project requirements.
- All information in this catalogue is correct at time of print. While every care has been taken to ensure correctness of information in this catalogue, Maica reserves the rights for any alterations or changes as deem necessary without prior notice. The information in this catalogue is intended as information for Maica's maiTCS designs and applications, and is therefore not intended as any form of guarantee with regard to any specific product characteristics.
- Products must be inspected prior to installation. The liability of Maica for any possible manufacturing fault of maiCompact and maiConcept panels is limited to the extent of the cost of the product only.
- The liability of Maica for the accompanying accessories of the various systems is limited to the extent of the warranty extended by the suppliers of the accessories.
- All rights reserved. No part of this catalogue may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, scanning or otherwise, without the written permission of Maica Laminates Sdn Bhd. Co Registration No. 107254-D and Maica Corporation Sdn Bhd. Co Registration No. 90632-U.

Maica Trademarks

'Maica', 'mai', 'mimai' and the 'maica' logo are trademarks of Maica Laminates Sdn Bhd.

Contents

01	maiTCS Story: Anti-Bacteria, Anti-Fungi, Termite Resistant	09	maiSumo	19	maiComo
03	Comply to Green Building Requirements	11	maiSupremo	21	maiHardware & Accessories
04	Be Ecologically Responsible, Be Healthy	13	maiUmo	25	maiIndimo
05	Make it Strong and Beautiful	15	maiVemo	27	Maintenance
07	Gold and Silver Collection	17	maiAmimo	31	maiContact



Anti-Bacteria

Never let fungi and termites destroy your toilet cubicle systems. Ensure that your toilet cubicle system panels are not affected by the world's most dangerous termites for buildings, the Subterranean termites. Never allow fungi to grow on your toilet cubicle panels, protect your properties well.





Anti-Fungi



JIS Z2801-2012



ASTM G21-09



Termite Resistant



ASTM D3345 and FRIM Working Procedure (PK) A1
"Test Method for Determining the Relative
Effectiveness of Wood Above Ground Contact"

Comply to Green Building Requirements

Leave a legacy by making your toilet cubicle system panels an integrated part of your green building project planning and execution.



Membership Number : IDP 0077

Malaysia
Green
Building
Confederation

maiLaminate & maiCompact

APPLICABLE GBI CREDITS

NRNC	EQ4
NRNC (DC)	EQ4
NREB	EQ4
NREB (DC)	EQ4
INC	EQ4
IEB	EQ4
RNC	EQ2, EQ3





Be Ecologically
Responsible, Be Healthy



Extremely low chemical emissions
complying to GREENGUARD GOLD
especially for Children and Schools.



Made from Sustainable Materials

Certification No. : 035 - 034
MADE FROM SUSTAINABLE MATERIALS
Certified under the Singapore GreenLabel
mailLaminate™ & maiCompact™

Making
Life Better,
Everyday



Make It Strong and Beautiful

Create your own beautiful designs, or choose from Maica's maiCompact and maiConcept catalogues for that design that appeals most to your personality. Absolutely strong panels with Maica's high pressure decorative compact laminate with attractive systems to suit your needs, in both the Gold and Silver Collection.



European Standard EN 438

maiQuality compliance
to EN 438 standards



Maica's high pressure
decorative Compact
laminates



Maica's custom print
decorative laminates


Gold Collection

Choices of Wisdom



Silver Collection

Choices of Intelligence



maiTM SUMO

Compact Cubicle System Model SUMO




Standard Features

- 13 mm thick maiCompact Door (rebated).
- 13 mm thick maiCompact Pilaster, suspended from the ceiling using C-channel meant for heavy duty use with proprietary Ceiling Suspension System.
- 13mm thick maiCompact Division Panel.
- Complete with all necessary accessories:
 - Aluminium Wall Channel, Stainless Steel Indicator Latch, Stainless Steel Coat Hook with Door Stopper and Stainless Steel Door Hinge.



Standard Features

a



Wall Channel (Aluminium)

- TCA-AMI2-11006 NA
(Natural Anodised)


b



Coat Hook with Door Stopper (Stainless Steel)

- TCA-LGDS-024

c



Indicator Latch (Stainless Steel)

- TCA-136


d



Door Hinge (Stainless Steel)


- TCA-T31 MAR (U)
Right Gravity Self-Closing Upper Hinge
- TCA-T31 MAR (D)
Right Non-Gravity Self-Closing Down Hinge
- TCA-T31 MAL (U)
Left Gravity Self-Closing Upper Hinge
- TCA-T31 MAL (D)
Left Non-Gravity Self-Closing Down Hinge

Standard Drawing



maiTM SUPREMO

Compact Cubicle System Model SUPREMO



Standard Features


- 12mm thick maiCompact Door (rebated).
- 12mm thick maiCompact Pilaster.
- 12mm thick maiCompact Division Panel.
- Complete with all necessary accessories:
 - Aluminium Top Rail, Aluminium Wall Channel, Stainless Steel Adjustable Foot, Stainless Steel Indicator Latch, Stainless Steel Coat Hook with Door Stopper and Stainless Steel Door Hinge.




Standard Features

**Top Rail (Aluminium)**


- TCA-AMI6-11005 NA
(Natural Anodised)

**Wall Channel (Aluminium)**


- TCA-AMI2-11006 NA
(Natural Anodised)

**Coat Hook with Door Stopper (Stainless Steel)**

- TCA-LGDS-024

**Indicator Latch (Stainless Steel)**

- TCA-136


**Door Hinge (Stainless Steel)**

- TCA-T31 MAR (U)
Right Gravity Self-Closing Upper Hinge
- TCA-T31 MAR (D)
Right Non-Gravity Self-Closing Down Hinge
- TCA-T31 MAL (U)
Left Gravity Self-Closing Upper Hinge
- TCA-T31 MAL (D)
Left Non-Gravity Self-Closing Down Hinge

**Adjustable Foot (Stainless Steel)**

- TCA-S200
Adjustable Leg Height 150mm for 12mm Panels.


Standard Drawing



mai™

UMO

Compact Cubicle System Model UMO



Standard Features

- 12mm thick maiCompact Door (rebated).
- 12mm thick maiCompact Pilaster.
- 12mm thick maiCompact Division Panel.
- Complete with all necessary accessories:
 - Aluminium Top Rail, Aluminium Wall Channel, Stainless Steel Shoe Box, Stainless Steel Indicator Latch, Stainless Steel Coat Hook with Door Stopper and Stainless Steel Door Hinge.

Standard Features


a



Top Rail (Aluminium)

- TCA-AMI6-11005 NA
(Natural Anodised)

b



Wall Channel (Aluminium)

- TCA-AMI2-11006 NA
(Natural Anodised)


c



Coat Hook with Door Stopper (Stainless Steel)

- TCA-LGDS-024

d



Indicator Latch (Stainless Steel)

- TCA-136

e



Door Hinge (Stainless Steel)

- TCA-T31 MAR (U)
Right Gravity Self-Closing Upper Hinge
- TCA-T31 MAR (D)
Right Non-Gravity Self-Closing Down Hinge
- TCA-T31 MAL (U)
Left Gravity Self-Closing Upper Hinge
- TCA-T31 MAL (D)
Left Non-Gravity Self-Closing Down Hinge


f



Shoe Box (Stainless Steel)

- TCA-SB101 200mm X 100mm X 12mm / 10mm
- TCA-SB201 300mm X 100mm X 12mm / 10mm
- TCA-SB301 400mm X 100mm X 12mm / 10mm
- TCA-SB401 500mm X 100mm X 12mm / 10mm
- TCA-SB501 600mm X 100mm X 12mm / 10mm
- TCA-SB601 700mm X 100mm X 12mm / 10mm

Standard Drawing



maiTM

VEMO

Compact Cubicle System Model VEMO



Standard Features

- 12mm thick maiCompact Door (rebated).
- 12mm thick maiCompact Pilaster.
- 12mm thick maiCompact Division Panel.
- Complete with all necessary accessories:
 - Aluminium Top Rail, Aluminium Wall Channel, Nylon Adjustable Foot, Nylon Indicator Thumbturn, Nylon Door Knob, Nylon Coat Hook and Nylon Door Hinge.



Standard Features

**Top Rail (Aluminium)**

- TCA-AMI6-11005 BK
(Black Colour)

**Wall Channel (Aluminium)**

- TCA-AMI2-11006 BK
(Black Colour)

**Coat Hook (Nylon)**

- TCA-ND-2

**Door Knob (Nylon)**

- TCA-NL-6A

**Indicator Thumbturn (Nylon)**

- TCA-RL-10-1


**Door Hinge (Nylon)**

- TCA-RL-51R
Right Self-Closing Hinge
- TCA-RL-51L
Left Self-Closing Hinge

**Adjustable Foot (Nylon)**

- TCA-RL-15-1

Standard Drawing




Standard Features

a

**Top Rail (Aluminium)**

- TCA-AMI6-11005 BK
(Black Colour)

b

**Wall Channel (Aluminium)**

- TCA-AMI2-11006 BK
(Black Colour)

c

**Coat Hook (Nylon)**

- TCA-ND-2

d

**Door Knob (Nylon)**

- TCA-NL-6A

e

**Indicator Thumbturn (Nylon)**

- TCA-RL-10-1

f

**Door Hinge (Nylon)**


- TCA-RL-51R
Right Self-Closing Hinge
- TCA-RL-51L
Left Self-Closing Hinge

g

**Adjustable Foot (Nylon)**

- TCA-RL-15-1

Standard Drawing



maiTM AMIMO

Compact Cubicle System Model AMIMO



Standard Features

- 12mm thick maiCompact Door (rebated).
- 12mm thick maiCompact Pilaster.
- 12mm thick maiCompact Division Panel.
- Complete with all necessary accessories:
 - Stainless Steel Indicator Latch, Stainless Steel Coat Hook with Door Stopper, Stainless Steel Door Hinge and Stainless Steel L-Bracket.

Standard Features


a



**Coat Hook with Door Stopper
(Stainless Steel)**

- TCA-LGDS-024

b



Indicator Latch (Stainless Steel)

- TCA-136

c



L Bracket (Stainless Steel)

- TCA-ST-02


d



Door Hinge (Stainless Steel)

- TCA-T31 MAR (U)
Right Gravity Self-Closing Upper Hinge
- TCA-T31 MAR (D)
Right Non-Gravity Self-Closing Down Hinge
- TCA-T31 MAL (U)
Left Gravity Self-Closing Upper Hinge
- TCA-T31 MAL (D)
Left Non-Gravity Self-Closing Down Hinge


Standard Drawing



mai™

COMO

Compact Cubicle System Model SUMO




Standard Features

- 12mm thick maiCompact for Doors mounted on to proprietary Aluminium Door Jamb and Framing System.
- Complete with all necessary accessories:
 - Stainless Steel Indicator Latch, Stainless Steel Coat Hook with Door Stopper, Stainless Steel Door Hinge, Aluminium Door Frame (Internal and External) and Door Frame Gasket.



Standard Features

a



Door Frame External (Aluminium)

- TCA-AMI6-11041 MF
(Mill Finish)
- TCA-AMI6-11041 NA
(Natural Anodised)
- TCA-AMI6-11041 BK
(Black Colour)

b



Door Frame Internal (Aluminium)

- TCA-AMI6-11113 MF
(Mill Finish)

c



Door Frame Gasket

- TCA-2117


d



Coat Hook with Door Stopper (Stainless Steel)

- TCA-LGDS-024


e



Indicator Latch (Stainless Steel)

- TCA-136



f



Door Hinge (Stainless Steel)

- TCA-T31 MAR (U)
Right Gravity Self-Closing Upper Hinge
- TCA-T31 MAR (D)
Right Non-Gravity Self-Closing Down Hinge
- TCA-T31 MAL (U)
Left Gravity Self-Closing Upper Hinge
- TCA-T31 MAL (D)
Left Non-Gravity Self-Closing Down Hinge


Standard Drawing



Aluminium

**Top Rail**


- TCA-AMI6-11005 NA
(Natural Anodised)
- TCA-AMI6-11005 BK
(Black Colour)

**Wall Channel**

- TCA-AMI2-11006 NA
(Natural Anodised)
- TCA-AMI2-11006 BK
(Black Colour)

**Door Frame External**

- TCA-AMI6-11041 MF
(Mill Finish)
- TCA-AMI6-11041 NA
(Natural Anodised)
- TCA-AMI6-11041 BK
(Black Colour)

**Door Frame Internal**


- TCA-AMI6-11113 MF
(Mill Finish)

Stainless Steel


**L Bracket**

- TCA-ST-02

Stainless Steel

**Coat Hook with Door Stopper**

- TCA-LGDS-024

**Indicator Latch**


- TCA-136

**Door Hinge**

- TCA-T31 MAR (U)
Right Gravity Self-Closing Upper Hinge
- TCA-T31 MAR (D)
Right Non-Gravity Self-Closing Down Hinge
- TCA-T31 MAL (U)
Left Gravity Self-Closing Upper Hinge
- TCA-T31 MAL (D)
Left Non-Gravity Self-Closing Down Hinge

**Shoe Box**

- TCA-SB101 200mm X 100mm X 12mm / 10mm
- TCA-SB201 300mm X 100mm X 12mm / 10mm
- TCA-SB301 400mm X 100mm X 12mm / 10mm
- TCA-SB401 500mm X 100mm X 12mm / 10mm
- TCA-SB501 600mm X 100mm X 12mm / 10mm
- TCA-SB601 700mm X 100mm X 12mm / 10mm

**Adjustable Foot**

- TCA-S200
Adjustable Leg Height 150mm for 12mm Panels.

Accessories

Delightful Combinations

Nylon

1



Coat Hook

• TCA-ND-2


2



Door Knob

• TCA-NL-6A

3



Indicator Thumbturn

• TCA-RL-10-1

4



Door Hinge

- TCA-RL-51R
Right Self-Closing Hinge
- TCA-RL-51L
Left Self-Closing Hinge

5



Adjustable Foot

• TCA-RL-15-1

Gasket
Rubber






1



Door Frame Gasket

• TCA-2117

For Standard System



Making
Life Better,
Everyday

maiTM Hardware & Accessories


Delightful Combinations

Door Features


Our standard systems has a rebated door feature for all except maiComo system. The rebated door helps to lessen the contact impact of the door panel against the pilaster.

Optional Features

1 Rebate Door



2 Non-Rebate Door



Non-Rebate Door Features



Side Rail (Aluminium)

- TCA-AMI2-11008 NA
10mm (Natural Anodised)
- TCA-AMI2-11008 BK
10mm (Black Colour)



Side Rail Gasket


- TCA-Side Rail Gasket



Optional Features Accessories

Aluminium

1



Wall Channel

- TCA-AMI2-11007 NA
10mm (Natural Anodised)
- TCA-AMI2-11007 BK
10mm (Black Colour)

Nylon

1



L Bracket


- TCA-DRB-1500

Washer

1



+



TCA-S200 + Washer

- Adjustable Leg Height 150mm with Washer for 10mm Panels.

Stainless Steel

1



L Bracket

- TCA-ST-04

2



Indicator Latch

- TCA-126

3



Adjustable Foot

- TCA-SN001





Standard Features


- 12mm thick maiCompact for Division Panels
- Sizes Available:

Option 1	6 Wall brackets a. 300mm x 1200mm b. 450mm x 1200mm
Option 2	4 Wall brackets a. 300mm x 900mm b. 450mm x 900mm

Standard Accessory



L Bracket (Stainless Steel)
 • TCA-ST-02



Maintenance

Normal cleaning and sanitization
of washrooms and toilets
do not harm to Maicas maiCompact
Toilet Cubicle Panels.

General Cleaning Instructions

1. Use a clean, damp, non-abrasive cloth and mild soap, non-bleach detergent or household cleaner.
2. Rinse with clear water, using a clean, non-abrasive cotton cloth.
3. Dry laminate surface with a soft, clean, non-abrasive cotton cloth.

For Stubborn Stains

1. Use a non-abrasive cleaner, detergent or general purpose cleaner, together with a short, soft bristle nylon brush to clean the stains gently.
2. Remove stains immediately. Allow cleaner to remain on the stain for several minutes before blotting area with a damp cloth and rinse.
3. Some solvents such as denatured alcohol, fingernail polish remover or paint thinner may also be used sparingly for very stubborn stains.

Warning:

Excessive use of solvents will damage the laminate finish and make it more susceptible to stains. Do not use cleaning agents containing acid, alkaline or sodium hypochlorite on laminate surface to avoid corrosion or permanent discolouration.


To Prolong The Lifespan Of Maica's maiCompact Toilet Cubicle Panels Surface

- Do not use abrasive or polishing materials on the surface.
- Do not use acidic or abrasive cleaning agents on surface that can damage the surface.
- Remove paint, adhesive, synthetic resin and similar substances immediately with water or an organic solvent. Once these products are set, the removal of these substances may require processes that potentially damage the surface.





Fresh



Aim & Shoot

Do Not Mess Up

Dedicated



28


Clean




Simplicity



Delightful



Comfort



Classy

Making Life Better, Everyday

maiTM Project

Delightful Combinations


maiTM SUMO Compact Cubicle System



maiTM SUPREMO Compact Cubicle System




maiTM UMO Compact Cubicle System







mai VEMO Compact Cubicle System



mai AMIMO Compact Cubicle System



mai COMO Compact Cubicle System



MAICA LAMINATES SDN BHD (107254-D)

5100, Lorong Mak Mandin 5,
Mak Mandin Industrial Estate,
13400 Butterworth, Penang, Malaysia.

T : +604 - 332 7436 / 332 7437 / 332 7439 / 332 7440

F : +604 - 332 6570 (Marketing) / 332 4045 (General)

E : marketing@maica.com.my

www.maica.com.my



f maica.laminates

Linked in

www.linkedin.com/company/maica-laminates

YouTube

www.youtube.com/MaicaLaminatesSdnBhd



Sales & Distribution

maiHotline | M : +6016 - 419 1019
E : kringkring@maica.com.my

MAICA CORPORATION SDN BHD (90632-U)

Malaysia

Head Office, Penang

5100, Lorong Mak Mandin 5,
Mak Mandin Industrial Estate,
13400 Butterworth, Penang.

T : +604 - 324 1436 / 5436

F : +604 - 324 9405

E : mchq@maicacorp.com

Butterworth, Penang

902, Jalan Bagan Ajam,
Taman Zamrud,
13000 Butterworth, Penang.

T : +604 - 332 7200 / 7201

F : +604 - 331 8258

E : maicabtw@maicacorp.com

Petaling Jaya, Selangor

No 25 & 27, Jalan PJS 7/21,
Bandar Sunway,
46150 Petaling Jaya, Selangor.

T : +603 - 5631 5868

F : +603 - 5631 5889 / 5638 3213

E : maicapj@maicacorp.com

Ipoh, Perak

No. 20 Persiaran Industri Rapat 2,
Kawasan Perindustrian Seri Rapat,
31350 Ipoh, Perak.

T : +605 - 313 8952 / 8959

F : +605 - 313 8903

E : maicaipoh@maicacorp.com

Melaka

80, Jalan Laksamana 5,
Taman Kota Laksamana,
75200 Melaka.

T : +606 - 284 3680 / 3681

F : +606 - 284 9439

E : maicamk@maicacorp.com

Johor Bahru, Johor

No. 31 & 33,
Jalan Mutiara Emas 5/23,
Taman Mount Austin,
81100 Johor Bahru, Johor.

T : +607 - 354 0011 / 353 6185

F : +607 - 353 6187 / 351 1905

E : maicajb@maicacorp.com

Kuantan, Pahang

A-5482 & A-5484, Taman Mariama,
Jalan Beserah,
25300 Kuantan, Pahang.

T : +609 - 566 5344 / 0405

F : +609 - 566 5218 / 568 7482

E : maicakn@maicacorp.com

Kota Kinabalu, Sabah

4 & 5, Lot 82, Ground Floor,
2nd Phase, Sedco Industrial Estate,
Jalan Kilang, Kolombong, 5½ Miles, Inanam,
88450 Kota Kinabalu, Sabah.

T : +6088 - 383 186 / 384 186

F : +6088 - 383 187

E : maicasbh@maicacorp.com

Kuching, Sarawak

No. 45, Lot 1086, Jalan Swasta,
Bintawa Industrial Estate,
93450 Kuching, Sarawak.

T : +6082 - 481 012 / 013

F : +6082 - 482 009

E : maicaswk@maicacorp.com

Singapore

Maica Corporation Sdn Bhd (Singapore Branch) (105FCA772A)

38 Woodland Industrial Park E1,
#06-05, Singapore 757700.

T : +65 - 6219 4751

F : +65 - 6219 4714

E : enquiries@maica.com.sg

International

Maica International Sales Enquiries

5100, Lorong Mak Mandin 5,
Mak Mandin Industrial Estate,
13400 Butterworth, Penang, Malaysia.

T : +604 - 332 7436

F : +604 - 332 6570

E : marketing@maica.com.my

Conceptualize...
*customize with
maiConcept.*

