

DECRA[®] MILANO

2015

Milano

Timeless style, longer life

CATEGORY: TILE STYLE: MILANO COLOUR: ROSSO

Timeless style, longer life



ATTRACTIVE, UNIQUE APPEARANCE




Using leading edge technology, AHI Roofing has further extended its range of steel roof tiles with Decra Milano Tile – a profile with the timeless look of traditional Mediterranean roofs. Architects and Specifiers will enjoy working with the soft curves and versatility of this strong inter-locking profile on a wide range of roof styles.

Milano Tile comes in a wide range of colours which incorporates the traditional tile patched effect resulting in a simply stunning roof for your home.

SOUND CONSTRUCTION, HIGH DURABILITY




Milano roofing tiles are manufactured from aluminium-zinc coated steel which offers superior protection from the elements.

Each panel is first pressed then an acrylic base coat is applied into which natural stone chips are embedded. An acrylic overglaze is then applied as a finishing seal. The underside of each tile has a protective coating of clear acrylic resin. Because all Milano roofing tile coatings are applied after pressing there are no problems with micro cracking. In addition, Milano roofing tiles make an ideal cladding over a pitched concrete slab.



SUPERIOR WIND RESISTANCE

Milano roofing tiles have a unique horizontal fixing system. Because each panel is fixed horizontally to roof battens, wind shear is virtually eliminated. Most other roofing products rely on vertical fixing methods that are prone to lifting in high winds.



LIGHTWEIGHT NOT DEADWEIGHT

Milano roofing tiles are 1/6th the weight of concrete tiles over an equivalent roof area. This means substantial savings can be achieved in a building's structural costs. Lower overhead weight is also safer in earthquake prone areas.




Timeless style, longer life



TECHNICAL INFORMATION:


MILANO TILE

Overall length:	1335 mm
Length of cover:	1215 mm
Width of cover:	368 mm
Upstand:	22 mm
Roof cover/tile:	0.45 m ²
Coverage tiles/m ² :	2.2 tile /m ²
Weight/unit:	2.9 kg




FLAT SHEET

Overall length	2000 mm
Width	400/490 mm
Weight/unit	3.9/4.8 kg




MILANO WALL FLASHING

Overall length	1308 mm
Length of cover	1215 mm
Weight/unit	1.4 kg




MILANO RIDGE FLASHING A

Overall length	1308mm
Length of cover	1215mm
Weight/unit	1.0kg




SIDE FLASHING

Overall length	2000 mm
Length of cover	1900 mm
Upturn	86 mm
Width	17 mm
Downturn	57 mm
Weight/unit	1.4 kg




BARREL 150

Overall length	400 mm
Length of cover	370 mm
Weight/unit	0.6 kg



BARREL END 150

Diameter	150 mm
Weight/unit	0.1 kg



FOR FURTHER TECHNICAL INFORMATION
OR ASSISTANCE CONTACT:

Plant:

AHI Roofing (Malaysia) Sdn Bhd

Lot 12, Nilai Industrial Estate,
71800 Nilai, Negeri Sembilan,
Malaysia.

Tel: +60 6 799 1877

Fax: +60 6 799 1827

info@ahiroofing.com.my

Sales Offices:

SEA Regional Office

75-3, Jalan USJ 21/10,
47630 UEP Subang Jaya,
Selangor, Malaysia.

Tel: +60 3 8011 9093/9054/9925

Fax: +60 3 8011 1418

Philippine Representative Office

Unit 800-D, 20th Drive Corporate Center,
20th Drive, Mc Kinley Business Park
Fort Bonifacio, Taguig City, Philippines

Tel: +63 2 553 9996

Fax: +63 2 856 0407

DISTRIBUTOR:

DECRA®
ROOFING SYSTEMS

www.ahiroofing.com



AHI ROOFING

A FLETCHER BUILDING COMPANY