

SEACERA TECHNICAL SPECIFICATIONS - FULL BODY PORCELAIN TILES

Type of Test	Test Method	International Standard	Seacera Typical Standard
 Dimension			
Lenght & Width	ISO 10545-2	± 0.6%	± 0.30%
Thickness	ISO 10545-2	± 5 %	± 3 %
Straightness of Sides	ISO 10545-2	± 0.5%	± 0.25%
Rectangularity	ISO 10545-2	± 0.6%	± 0.30%
Flatness of Surface			
Centre Curvature	ISO 10545-2	± 0.5%	± 0.25%
Warpage	ISO 10545-2	± 0.5%	± 0.25%
Edge Curvature	ISO 10545-2	± 0.5%	± 0.25%
 Water Absorption	ISO 10545-3	≤ 0.5%	≤ 0.15%
 Modulus of Rupture	ISO 10545-4	Min. 35 N/mm ²	>32 N/mm ²
 Breaking Strength	ISO 10545-4	> 1300 N	> 1300 N
 Surface Abrasion Test	ISO 10545-7	Failure visible (class)	Min. class 2
 Chemical Resistance	ISO 10545-13	No visible changes (GA, GLA)	No visible changes (GA, GLA)
 Stain Resistance	ISO 10545-14	Min. Class 3	Class 5

THE ABOVE SEACERA STANDARD SERVES AS A GENERAL GUIDELINES ONLY.

We recommend:

- *Before fixing, lay several cartons of tiles to confirm their natural pleasant blend of shades.
- *Leave a tiling gap of 3-5mm during installation.

Our guarantee is limited to replacing tiles found defective BEFORE fixing. No claim will be entertained after the tiles are installed.

SEACERA

SEACERA CERAMICS SDN.BHD. (128160-H)
 LOT 16428, 14KM, JALAN IPOH, KAWASAN PERINDUSTRIAN SELAYANG,
 68100 BATU CAVES, SELANGOR DARUL EHSAN, MALAYSIA.
 TEL:+603-6136 2494 FAX:+603-6137 8422
 Email:sales@seacera.com.my Website:www.seacera.com.my



CERTIFIED TO : MS ISO 13006 : 2003
 Certification No : PS068501



MSO ISO 9001 : 2008 REG. No : AR 5736



MSO ISO 9001 : 2008 REG. No : MYAR 5736



Made In Malaysia

Care has been taken to ensure that all information is correct at time of printing. Product colours and patterns shown are as the printing process will allow. This document constitutes general information only and is not intended as any representation or warranty by Seacera or its distributors and agents, we reserve the right to amend the colour ranges or specifications of tiles at any time without prior notice, intending purchasers should confirm all specifications and product availability.

MONOTONES

FULL BODY PORCELAIN TILES




Design
 Nature Inspired
 Design reflects size


SEACERA

www.seacera.com.my


MONOTONES SERIES




Model: 10A, 80A, 40C, 30H




80A
300x300mm
300x600mm
600x600mm




10A
300x300mm
300x600mm
600x600mm



40C
300x300mm
300x600mm
600x600mm



30H
300x300mm
300x600mm
600x600mm




Model: 10A

MONOTONES SERIES



300x300mm




297x297mm
(47x47mm)




297x297mm
(47x147mm)




Model:80A,40C,30H



80A
300x300mm
300x600mm
600x600mm



40C
300x300mm
300x600mm
600x600mm



30H
300x300mm
300x600mm
600x600mm

Model:70A,90C




MONOTONES SERIES




Model: G6-30F


MONOTONES SERIES




10A
300x300mm
300x600mm
600x600mm




80A
300x300mm
300x600mm
600x600mm




30A
300x300mm
300x600mm
600x600mm




20A
300x300mm
300x600mm
600x600mm



30F
300x300mm
300x600mm
600x600mm



40C
300x300mm
300x600mm
600x600mm




30G
300x300mm
300x600mm
600x600mm




30H
300x300mm
300x600mm
600x600mm

Note: Customized colours can be produced with minimum order quantity of 10,000M² per colour.


Cut size:




600x600mm




300x600mm




300x300mm




297x297mm
(47x47mm)



297x297mm
(47x147mm)



297x297mm
(97x97mm)



297x297mm
(97x297mm)