



BUATAN MALAYSIA
MADE IN MALAYSIA

Paynt

TECHNOLOGY FOR PROTECTION

FAST DRY FORMULATION LEAD & MERCURY FREE



PAYNT MANUFACTURING AND LABORATORY SDN.BHD. (764156-H)

Factory : No. 8 Lorong Abdul Manan 1, Batu 5 1/2 Off Jalan Meru,
41050 Klang, Selangor.

Tel : +603 3392 3886

Fax : +603 3392 3885

Email : payntmfg@gmail.com

Website : www.payntmfg.com

TOP PAINT COATING SDN BHD

No 11A, Tingkat 1, Jalan Keluli AK7/AK

Seksyen 7

40000 Shah Alam

Selangor Darul Ehsan

Phone: 03-335954273 Fax: 03-33592012

Email: info.toppaintcoating@gmail.com

Website : www.toppaint.com.my

Paynt

HEAVY DUTY PROTECTIVE COATINGS

TECHNOLOGY FOR
PROTECTION

PAYNTHINNER
Heavy Duty Thinner

PANTOXY SL
SELF LEVELLING

PAYNTSHIELD
Polyurethane

PACRYLIC RL
Road Marking Paint

PAYNTGUARD
Conventional Gloss Finished Paints

PAYNTOXY
High Performance & Heavy
Duty Epoxy Coatings

PAYNTICONE
Heat Resistance Coatings

PACRYLIC
Acrylic Coatings & Solvent Based

PAYNTGLOSS
POLYURETHANE CLEAR COATINGS

PAYNTAF
TIN FREE ANTIFOULING

Paynt Manufacturing and Laboratory Sdn.Bhd. Was initially involved in heavy-duty protective coatings in Malaysia since 2001. We have established ourself in protective coatings, industrial coatings, marine protective coatings, floor coatings, road marking/line paint, roof coatings and Architectural Coatings.

PAYNT range of heavy-duty & roof coating are recognized in the market as superior products in its class, and applied by oil & gas companies and range of industrial coatings such as coatings on floor, steel, cement and more.

OUR PRODUCT AND SERVICES

Epoxy Coatings

For structural Steel, Flooring & Roofing

Polyurethane Coatings (P.U)

For Structural Steel, Flooring & Metal Roofing

Alkyd – Fast Dry Gloss Paint

Conventional Priming & Finishing Coating (Gloss Enamel)

Heat resistance Coatings

Silicon Aluminium / Silicon Arcylic

Epoxy Self Levelling Coatings

For Industrial, Commercial Floor & Basement Coating

Tin Free Antifouling Paint

For Marine Paint

Modified Chlorinated Rubber

For Road Marking/Line

Pacrylic Finish

For Architectural Coating



PROJECT REFERENCE



COMPANY INTRODUCTION

COMPANY DETAILS

SSM
SURUHANJAYA SYARIKAT MALAYSIA
COMPANIES COMMISSION OF MALAYSIA

Certified True Copy of the Original Document

R. Rajendran
Company Secretary (LS55814)

BORANG 9
AKTA SYARIKAT 1965 [Seksyen 16(4)]

No. Syarikat
764156 H

PERAKUAN PEMERBADANAN SYARIKAT SENDIRIAN

Adalah diperakui bahawa

PAYNT MANUFACTURING & LABORATORY SDN. BHD.

telah diperbadankan di bawah Akta Syarikat 1965, pada dan mulai dari 01 haribulan Mac 2007, dan bahawa syarikat ini adalah sebuah syarikat berhad menurut syer dan bahawa syarikat ini adalah sebuah syarikat sendirian.

Dibuat di bawah tandatangan dan meterai saya di Kuala Lumpur pada 01 haribulan Mac 2007.


PUTEH BINTI MAHMOOD
PENOLONG PENDAFTAR SYARIKAT
MALAYSIA

NO. SERI: SSM 381668

Company Name : PAYNT MANUFACTURING AND LABORATORY SDN.BHD.
Company Registration : 764156-H
Date Registration : 1 MAC 2007
Address & Factory : No 8, Lorong Abdul Manan 1, Batu 5 1/2, Off Jalan Meru, 41050 Klang, Selangor.
Contact No. : Tel : +603 3392 3886
 Fax: +603 3392 3885
Email : payntmfg@gmail.com
Website : www.payntmfg.com

REGISTRATION & CERTIFICATION

REGISTRATION & CERTIFICATION



161417 A

PERAKUAN PENDAFTARAN

Adalah dengan ini diperakui bahawa kontraktor yang dinyatakan di bawah ini telah berdaftar dengan Lembaga mengikut Bahagian VI Akta Lembaga Pembangunan Industri Pembinaan Malaysia 1994. Pendaftaran ini adalah tertakluk kepada syarat-syarat yang telah ditetapkan di belakang Perakuan ini

No Pendaftaran: 0120110927-WP136389

Nama Kontraktor: PAYNT MANUFACTURING AND LABORATORY SDN. BHD.

Alamat Berdaftar: B1-1, JALAN SELAMAN 1
DATARAN PALMA
68000 AMPANG
SELANGOR

Gred, kategori dan pengkhususan berdaftar

G3 B B04 B14
G3 CE CE21 CE32

Tarikh Mula Berkuatkuasa: 15 DEC 2014

Tarikh Tamat Tempoh Perakuan: 14 DEC 2016

*Perakuan ini hendaklah dipertahankan selama-lamanya 60 hari sebelum tarikh tamat tempoh.

STATUS: AKTIF - Kontraktor yang diawatkan projek semasa perakuan pendaftaran ini dikeluarkan.

Sr MOHD ZAID ZAKARIA
b.p. Ketua Eksekutif
Berkuatkuasa: 15 DEC 2014



KEMENTERIAN KEWANGAN MALAYSIA

SIJIL AKUAN PENDAFTARAN SYARIKAT

NO SIJIL: K22104220021161878
NO RUJUKAN PENDAFTARAN: 357-02178572
TEMPOH SAH LAKU: 21/05/2013 - 20/05/2016

Bahawa dengan ini diperakui syarikat:

PAYNT MANUFACTURING AND LABORATORY SDN BHD (764156-1)
NO. 8 LORONG ABDUL MANAN 1,
BATU 5 1/2 OFF JALAN MERU,
41050 KLANG, SELANGOR DARUL EHSAN
KELANG
41050 KLANG
SELANGOR, MALAYSIA

Telah berdaftar dengan Kementerian Kewangan Malaysia dalam bidang bekalan/perkhidmatan di bawah sektor, bidang dan sub-bidang seperti di Lampiran A. Kelulusan ini adalah tertakluk kepada syarat-syarat seperti yang dinyatakan di Lampiran B. Individu yang diberi kuasa oleh syarikat bagi urusan perolehan Kerajaan adalah seperti berikut:

FAHRIAN BINI FAJIL: 0900073554 PENGARAH
ADAM BIN AHMAD ZABIR: 0902214649 PENGARAH

LI
DATO' HASHMUDDIN BIN MOHAMMAD
Bahagian Perolehan Kerajaan
Ibu Ketua Setiausaha Perbendaharaan
Kementerian Kewangan Malaysia

Tarikh Berdaftar Dengan Kementerian Kewangan Malaysia: 21/05/2013

(Sijil ini adalah cetakan komputer dan tidak memerlukan tandatangan)

TENAGA NASIONAL
(200866-W)

Dengan Ini Disahkan Bahawa

PAYNT MANUFACTURING AND LABORATORY
SDN. BHD.

NO. 8, LORONG ABDUL MANAN 1,
BATU 5 1/2, OFF JALAN MERU
41050 KLANG
SELANGOR

telah berdaftar dengan Tenaga Nasional Berhad sebagai

PEMBEKAL & KONTRAKTOR PERKHIDMATAN

BUTIR-BUTIR PENDAFTARAN

NO. PENDAFTARAN TNB: 3045291
NO. PENDAFTARAN SYARIKAT: 764156H
TEMPOH SAHLAKU (KK) SEHINGGA: 20 MEI 2016

Tarikh tempoh sah laku pendaftaran ini adalah tertakluk kepada tempoh sah laku pendaftaran siji-siji Kementerian Kewangan, Pusat Khidmat Kontraktor Awam, Pusat Khidmat Kontraktor Elektrik dan siji-siji profesional yang berkaitan.

Ini adalah cetakan komputer tidak memerlukan tandatangan

SIRIM QAS International Sdn. Bhd. (Company No: 410334-X)
CHEMICAL & CONSUMER SECTION, Building 16, No. 1, Persiaran Damai, Menara P.O. Box 7913, Section 7, 40700 Shah Alam,
Selangor Darul Ehsan, Malaysia
Tel: 03-35444611/35444612 Fax: 03-35444613

TEST REPORT

REPORT NO.: 2008KL0346 PAGE: 1 OF 6

This Test Report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and used by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any name or firm without written approval from Managing Director, SIRIM QAS International Sdn. Bhd. Please refer to the Conditions Relating To The Use of Test Report.

Applicant: PAYNT MANUFACTURING AND LABORATORY SDN BHD
No. 8, Lorong Abdul Manan 1,
Batu 5 1/2 Off Jalan Meru,
41050 Klang, Selangor Darul Ehsan, Malaysia.

Product: Road Marking Paint

Reference standard/ Method of test: 1. ASTM D4411-02 Standard Method for Pull-Off Strength of Coatings Using Portable Adhesion Testers
2. ASTM D4460-02 Standard Test Method for Abrasion Resistance of Organic Coatings by the Taber Abraser
3. ASTM D4460-02 Standard Test Method for Abrasion Resistance of Organic Coatings by the Taber Abraser

Description of sample: Received one (1) sample of EPOXY PAINTS for testing which was labeled

Brand: Epoxi
Model: Epoxi
Substrate Used: Carbon Steel

Date received: 21st February 2008

Job No.: J2008080156

Issue date: 10th April 2008

Approved Signatory: (ABDUL AZIZ HARON) Senior Technical Executive

(KUZIAH AHMAD) Group Leader,

KEMENTERIAN KERJA RAYA MALAYSIA
BAHAGIAN PEMBANGUNAN BUMIPUTERA
TINGKAT 7, BLOK B, KOMPLEKS KERJA RAYA
JALAN SULTAN SALAHUDDIN
50500 KUALA LUMPUR.

Tel: 03-2771 4744
Kav: 03-2771 4744
Tlx: 03-2771 4442
E-Mail: CRLP@krr.gov.my

Raj. Tams: 12 Disember
Raj. Kms: 12 Disember
Tarikh: 12 Disember

SIRIM QAS International Sdn. Bhd. (Company No: 410334-X)
CHEMICAL & CONSUMER SECTION, Building 16, No. 1, Persiaran Damai, Menara P.O. Box 7913, Section 7, 40700 Shah Alam,
Selangor Darul Ehsan, Malaysia
Tel: 03-35444611/35444612 Fax: 03-35444613

TEST REPORT

REPORT NO.: 2008KL0346 PAGE: 1 OF 4

This Test Report refers only to samples submitted by the applicant to SIRIM QAS International Sdn. Bhd. and used by SIRIM QAS International Sdn. Bhd. This test report shall not be reproduced, except in full and shall not be used for advertising purposes by any name or firm without written approval from Managing Director, SIRIM QAS International Sdn. Bhd. Please refer to the Conditions Relating To The Use of Test Report.

Applicant/Manufacturer: PAYNT MANUFACTURING AND LABORATORY SDN BHD
No. 8, Lorong Abdul Manan 1,
Batu 5 1/2 Off Jalan Meru,
41050 Klang, Selangor Darul Ehsan, Malaysia.

Products: Road Marking Paint

Reference standard/ Method of test: MS 164: 1991
Specification for Road Marking Paints (Second Revision)

Description of sample: Received one (1) sample of Road Marking Paint marked as:
Brand: PAYNT
Marking: Yellow (Non-Reflective)

Date received: 21st February 2008

Job No.: J2008080156

Issue date: 10th April 2008

Approved Signatory: (ABDUL AZIZ HARON) Senior Technical Executive

(KUZIAH AHMAD) Group Leader,
Chemical & Consumer Section (CEST)
Product Certification and Testing Department

Pengurus,
Paynt Manufacturing & Laboratory Sdn Bhd
No. 8, Jalan 3,
Batu 5 1/2, Off Jalan Meru
41050 Klang
Selangor Darul Ehsan.

Tuan,

PENDAFTARAN BAGI PROGRAM PEMBANGUNAN VENDOR/PEHUS
BAHAN BAHAN BUMIPUTERA DI BAHAGIAN PEMBANGUNAN USAHA
KEMENTERIAN KERJA RAYA MALAYSIA

Dengan hormatnya saya menjuk kepada perkars di atas,

2. Sukacila dimaklumkan bahawa borang permohonan tender
KKR-BPB-CI-001A dan profil syarikat iuan telah diterima dan direkodkan di pe
ini.

Sekian, terima kasih.

BERKHIDMAT UNTUK NEGARA

Saya yang menurut perintah,

(ADAM BIN SIEK)
b.p. Ketua Setiausaha
Kementerian Kerja Raya Malaysia.



PERODUA MANUFACTURING SDN BHD (655887)
Perodua Automobile Centre,
Sungei Choh, Locked Bag 276,
40000 Klang, Selangor Darul Ehsan, Malaysia.
Tel: 03-6092 8888 / 6723 8888 Fax: 03-6723 0284 / 6723 0286

Date: 4th November 2003.
Our ref: PUR-P2/079/2003

To Whom It May Concern,

This is a letter in support of Paynt (M) Sdn.Bhd. has approved supplier with Perodua Manufacturing Sdn.Bhd. for supply of booth industrial paint & floor coating. I have been extremely pleased with the result.

I have been particularly pleased with Paynt (M) Sdn.Bhd. help in providing many useful painting or coating information for our own reference, we have been consistently satisfied with the quality of the services delivered. In particular, with the fast & rapid service that provides by them to assist us in our painting & coating works.

Based on our experiences, we would highly recommend Paynt (M) Sdn.Bhd. for any project involving supplying painting & coating materials.

If you have any questions about our experiences with Paynt (M) Sdn.Bhd., please do not hesitate to contact us.

Thank you.

Yours sincerely,

Mohd Dzulkifli bin Mohd Yusoff
Purchasing Department

STANDARD COATINGS SYSTEM FOR FLOOR FINISHING

SYSTEM NO.	CLASS OF SERVICE	TYPICAL EXAMPLE	SURFACE PREPARATION	COAT	STANDARD RECOMMENDATION COATING SYSTEM	D.F.T (MICRONS)	GENERIC TYPE
1.	SEVERE CONDITION Heavy industrial & chemical plant area with high level of fumes & fall out	EXTERIOR EXPOSURE Cement of concrete floor & coated floor	Solvent Cleaning to SP 1 or Acid Etch	Primer	PAYNTANIC ZP	65	Multi Purpose Epoxy Primer
				2nd	PAYNTOXY	150	Polyamide Cured Epoxy
				Topcoat	PAYNSHIELD 500 HS	80	High Solid Polyurethane
				Primer	PAYNTOXY MP	100	Multi Purpose Epoxy
				2nd	PAYNTOXY	150	Polyamide Cured Epoxy
				Topcoat	PAYNTOXY	150	Polyamide Cured Epoxy

For Industrial , Commercial Floor & Basement Coatings
EPOXY SELF LEVELLING COATINGS

COATINGS SYSTEM & COATINGS INDEX

COATINGS SYSTEM & COATINGS INDEX

STANDARD COATINGS SYSTEM FOR TANK & PIPE

SYSTEM NO.	CLASS OF SERVICE	TYPICAL EXAMPLE	SURFACE PREPARATION	COAT	STANDARD RECOMMENDATION COATING SYSTEM	D.F.T (MICRONS)	GENERIC TYPE
1.	Seawater & Fresh Water immersion. Buried services.	Still pipe piles & sheetpiles. Underground pipelines	SA 2.5	Primer	PAYNTANIC ZP	65	Inorganic Zinc Primer
				2nd	PAYNTOXY	150	High Build Polyamide Epoxy
				Topcoat	PAYNTAR	400	Amine Cured Coal Tar Epoxy
				One	PAYNTAR AC	400	Amine Cured Coal Tar Epoxy
2.	Pipe & Tank	Steel pipelines, Cooling lines Hydropower plant Tank	SA 2.5	Primer	PAYNTOXY IP	75	Multi Purpose Epoxy
				2nd	PAYNTAR	325	Coal Tar Epoxy
				One	PAYNTAR AC	400	Amine Cured Coal Tar Epoxy

POLYURETHANE COATING (P.U) For Structural Steel, Flooring & Metal Roofing.



EPOXY COATING For Structural Steel, Flooring & Roofing .

MARINE (SHIP EXTERNAL)



ROAD FURNITURE SYSTEM



For Road Marking / Line (MODIFIED CHLORINATED RUBBER)



Heavy Duty Coating of Guard Rail Galvanised Structure



Coating System Reinforcement Concrete Bridge Concrete Beam, Column & Retaining Wall : Payntoxy MP / Payntoxy

ROOF COATINGS



ARCHITECTURAL COATINGS



Guard Rail



Floor Coating
System (Epoxy)



Epoxy coating system




Road Marking/
Line Modified
Chlorinated Rubber



Coated Metal/
Machinery(Alkyd)
Conventional gloss, Finish Coating



Tiles Roof coating
(Vinyl Acrylic Copolymer)



Marine Coating
(Polyurethane/Antifouling)



Heat Resistant
(Silicon Aluminum /
Acrylic)

