

00105

# **JABATAN KERJA RAYA**

## **A GUIDE ON GEOMETRIC DESIGN OF ROADS**

CAWANGAN JALAN,  
IBU PEJABAT J.K.R.,  
JALAN SULTAN SALAHUDDIN,  
50582 KUALA LUMPUR.

**HARGA: \$ 9.00**

## CONTENTS

CHAPTER 1	-	<u>INTRODUCTION AND SUMMARY</u>
1.1		Introduction
CHAPTER 2	-	<u>DESIGN STANDARDS AND ROAD CLASSIFICATION</u>
2.1.		Road Standards
2.1.1		Standardisation
2.1.2		Rural and Urban Areas
2.1.3		Application of Standards
2.2		Road Classification
2.2.1		Function of Road
2.3		Road Administration
2.4		Access Control
2.4.1		Degree of Control
2.4.2		Application
2.5		Design Standards
2.5.1		Selection of Design Standard
CHAPTER 3	-	<u>DESIGN CONTROLS AND CRITERIA</u>
3.1		Topography
3.2		Traffic
3.2.1		Average Daily Traffic (ADT)
3.2.2		Design Hourly Volume (DHV)
3.2.3		Design Hourly Volume Ratio (K)
3.2.4		Directional Distribution Ratio (D)
3.2.5		Traffic Composition
3.2.6		Projection of Traffic
3.3		Design Vehicles and Characteristics
3.3.1		Design Vehicles
3.3.2		Summary of Dimensions of Design Vehicle.

- 3.4 Speed
  - 3.4.1 Operating Speed
  - 3.4.2 Design Speed
  - 3.4.3 Design Sections
- 3.5 Capacity
  - 3.5.1 Capacity Under Ideal Conditions
  - 3.5.2 Design Volume
  - 3.5.3 Service Volume
  - 3.5.4 Design level of service and Volume/Capacity Ratio

CHAPTER 4 - ELEMENTS OF DESIGN

- 4.1 Sight Distance
  - 4.1.1 General
  - 4.1.2 Stopping Sight Distance
  - 4.1.3 Passing Sight Distance
  - 4.1.4 Criteria For Measuring Sight Distance
- 4.2 Horizontal Alignment
  - 4.2.1 General
  - 4.2.2 Superelevation Rates
  - 4.2.3 Minimum Radius
  - 4.2.4 Transition (Spiral) Curves
  - 4.2.5 Methods of Attaining Superelevation
  - 4.2.6 Superelevation Runoff with Medians
  - 4.2.7 Pavement Widening on Curves
  - 4.2.8 Sight Distance on Horizontal Curves
  - 4.2.9 General Controls For Horizontal Alignment
- 4.3 Vertical Alignment
  - 4.3.1 Maximum Grades
  - 4.3.2 Minimum Grades
  - 4.3.3 Critical Grade Length
  - 4.3.4 Climbing Lanes for Two Lane Roads
  - 4.3.5 Passing Lane Section on Two Lane Roads
  - 4.3.6 Climbing Lanes on Multi lane Roads
  - 4.3.7 Vertical Curves
  - 4.3.8 General Controls for Vertical Alignment
- 4.4 Combination of Horizontal and Vertical Alignment

## CHAPTER 5 - CROSS SECTION ELEMENTS

- 5.1 Pavement
  - 5.1.1 Surface Types
  - 5.1.2 Normal Cross Slope
- 5.2 Lane Widths and Marginal Strip
- 5.3 Shoulders
  - 5.3.1 General Characteristics
  - 5.3.2 Width of Shoulders
  - 5.3.3 Shoulder Cross Slope
  - 5.3.4 Shoulder Structure
- 5.4 Kerbs
  - 5.4.1 General Considerations
  - 5.4.2 Types of Kerbs
- 5.5 Sidewalks
- 5.6 Traffic Barriers
- 5.7 Medians
  - 5.7.1 General
  - 5.7.2 Median Types and Width
- 5.8 Service Roads
  - 5.8.1 General
  - 5.8.2 Design Requirements
- 5.9 Pedestrian Crossings
  - 5.9.1 General Considerations
  - 5.9.2 School Level Crossings
- 5.10 U-Turns
  - 5.10.1 General Considerations
  - 5.10.2 Design Considerations
- 5.11 Bridge and Structure Cross Sections
  - 5.11.1 Width of Shoulders
  - 5.11.2 Required Clearances
- 5.12 Bus Laybys
- 5.13 Minimum Reserve Width

- 5.14 Exclusive Cycle Lanes
  - 5.14.1 General Considerations
  - 5.14.2 Elements of Design
  - 5.14.3 Cross-Section Elements
  - 5.14.4 Intersection Treatment

CHAPTER 6 - OTHER ELEMENTS AFFECTING GEOMETRIC DESIGN

- 6.1 Road Safety
- 6.2 Drainage
- 6.3 Lighting
- 6.4 Utilities
- 6.5 Signing and markings
- 6.6 Traffic Signals
- 6.7 Erosion Control, Landscape Development and Environmental Impacts