British Standard

A single copy of this British Standard is licensed to

Ibocvnz Ibocvnz

15 October 2003

This is an uncontrolled copy. Ensure use of the most current version of this document by searching British Standards Online at bsonline.techindex.co.uk

BRITISH STANDARD

1

(c) BSI

Jivugh, 15 October 2003, Uncontrolled Co

1000-

- Sec- JY: see NZ: see NZ: see NZ

Value management

The European Standard EN 12973:2000 has the status of a British Standard

JCS 03.100.40



BS EN

RESERVENCE OF

• •

12973:2000

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

.

BS EN 12973:2000

11

Sand Street St

advidin talahasan

National foreword

This British Standard is the official English language version of EN 12973:2000.

The UK participation in its preparation was entrusted to Technical Committee DS/1, Dependability and terotechnology, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled "International Standards Correspondence Index", or by using the "Find" facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, the EN title page, pages 2 to 61 and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

This British Standard, having been prepared under the direction of the Management Systems Sector Committee, was published under the authority of the Standards Committee and comes into effect on 15 June 2000

© BSI 06-2000

Amendments issued since publication

| Amd. No. | Date | Comments |
|----------|------|----------|
| | | |
| | | |
| | | |
| | | |

ISBN 0 580 35686 8

EUROPEAN STANDARD NORME EUROPÉENNE **EUROPÄISCHE NORM**

EN 12973

. 1

٠.

April 2000

ICS 03.100.40

English version

Value Management

Management par la valeur

Value Management

This European Standard was approved by CEN on 7 October 1999.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

© 2000 CEN

All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 12973:2000 E

Page 2 EN 12973:2000

||

]]

Ŋ

:]]

lj

]]

(c) BSI

icensist Copy: Ibocvnz Ibocvnz, University of Lough vough, 15 October 2003, Uncontrolled Cor

<u>]</u>];

]],

Filip

Line,

ļ

li j

ļ

]

J

,

A States - A No.

North C

"an to be the start of the second starter souther

Contents

| | | Page |
|------------------|---|------|
| | word | |
| Intro | duction | |
| 1 | Scope | 8 |
| 2 | Normative references | 8 |
| 3 | Terms and definitions | 8 |
| 4 | The principles of Value Management | 9 |
| 4.1 | Key principles | 10 |
| 4.2 | Value objectives in Value Management dynamics | 11 |
| 4.3 4.3.1 | Requirements Framework | |
| 4.3.2 | Attitudes of mind and knowledge | |
| 4.4 | The Concept of Value | |
| 4.4.1 4.4.2 | Value Need | |
| 4.4.2 | Functions | |
| 4.4.4 | Resources | |
| 4.4.5 | Value comparison | |
| 4.5 | The Value Management Approach | |
| 5 | The application of Value Management | 17 |
| 5.1 | Application of the principles | 18 |
| 5.2 | The Value Management Framework | 21 |
| 6 | Value Management methods and tools | |
| 6.1 | A selection of methods commonly used in Value Management | 26 |
| 6.2 | Specific Value methods and tools | |
| 6.2.1 | Value Analysis (VA) | |
| 6.2.1.1 | Presentation | |
| 6.2.1.2 6.2.2 | Value Analysis and Value Management Functional Analysis (FA) | |
| 6.2.2.1 | Presentation | |
| 6.2.2.2 | Functional Analysis and Value Management | |
| 6.2.3 | Function Cost (FC) | |
| 6.2.3.1 | Presentation | |
| 6.2.3.2 | Function Cost and Value Management | |
| 6.2.4 | The Functional Performance Specification (FPS) | |
| 6.2.4.1 | Presentation | |
| 6.2.4.2 6.2.5 | The Functional Performance Specification and Value Management | |
| 6.2.5.1 | Design to Cost (DTC) / Design to Objectives (DTO) Presentation | |
| 6.2.5.1 | Design to Cost and Value Management | |
| | | |

A.1 A.1.1 A.1.1.1 A.1.1.2 A.1.2 A.1.2.1 A.1.2.2 A.1.3 A.1.3.1 Detailed description......48 A.1.3.2 The Functional Performance Specification (FPS)......49 A.1.4 A.1.4.1 A.1.4.2 A.1.5 A.1.5.1 A.1.5.2 Other methods and tools60 A.2

ALC: PSW2

Page 4 EN 12973:2000

Foreword

This European Standard has been prepared by Technical Committee CEN/TC 279, Value management - Value analysis, functional analysis, the Secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2000, and conflicting national standards shall be withdrawn at the latest by October 2000.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

The aim of this standard is to present, define and explain Value Management (VM) and to introduce the basic concepts of the methods and tools most commonly used in its application.

Historical background:

BSI

છ

]]

rough, 15 October 2003, Uncontrolled Co

and the second secon

Value Management is a style of management that has evolved out of previous methods based on the concept of value and functional approach. These were pioneered by Lawrence D. Miles in the 1940's and 50's who developed the technique of Value Analysis (VA) as a method to improve value in existing products. Initially Value Analysis was used principally to identify and eliminate unnecessary costs. However it is equally effective in increasing performance and addressing resources other than cost. As it evolved the applications of VA widened beyond products into services, projects and administrative procedures. At the same time other methods and management techniques based upon the concepts of value and function have evolved such as Design to Cost (DTC) and Functional Performance Specification (FPS).

The standard is primarily addressed to three groups of customers:

- senior executives seeking to enhance value for their organization and satisfaction for their customers by using the concepts of Value and Function as the basis for making decisions;
- all those involved in the formal application of Value Management methods within specific projects including generalists and specialists;
- all those involved in Value Management development or training.

It has been structured so that the introduction outlines why Value Management is relevant to management. Section 4 explains what Value Management is and Section 5 introduces how Value Management should be applied (see Figure 1).

--- Licensed Copy: Ibocvnz Ibocvnz, University of Lough

Page 5 EN 12973:2000

| VALUE MANAGEMENT | | | | NT | | | (V) | |
|------------------|-------|----------------|--------------|------------------------------|--------------------------|-------|----------------------|----------|
| INTRODUCT | ION . | AND SCOF | PE . | | | | | |
| | | | | | | | | |
| | T | HE PRINCIP | LES OF V | ALUE | MANAGEME | NT | | |
| | | Releva | ance to th | e Top i | Manager | | | |
| Key principles | | Requirements | | The | e concept of Ti Value | | The VM Approach | |
| | | | | | | | | |
| | тн | E APPLICA | TION OF V | /ALUE | MANAGEME | NT | | |
| | | APPLICA | TION OF | THE PR | UNCIPLES | | | |
| Management Style | | Human Dynamics | | Environmental considerations | | 1 | Methods and Tools | |
| | • | VALUE MA | NAGEME | NT FR | AMEWORK | | | |
| Value Culture | VM | Policy | VM Progra | | VM Stud | ły | VM | Training |
| | | | | | | | | |
| | VAL | UE MANAG | EMENT M | ETHO | DS AND TOO | LS | | |
| | | | | | | | | |
| VN | MET | THODS AND | TOOLS: | INFOR | MATIVE ANN | IEX . | A | |
| Specific Va | lue N | lethods and | l Tools | | Other Metho | ods a | and T | ools |

Figure 1 --- Structure of this document

The European Standard on Value Management has been developed to promote unified concepts, common practice and the highest levels of expertise and efficacy throughout Europe.

This standard represents a development from previous Value Analysis standards.

It integrates the pre-standardization work, sponsored by the European Commission, with the standardization work of CEN/TC 279 and refers in particular to the standard EN 1325 "Value Management, Value Analysis, Functional Analysis vocabulary", of which Part 1 "Value Analysis and Functional Analysis" has been published.

[]

]]

F

Licersed Copy: Ibocvnz Ibocvnz, University of Loug! vrough, 15 October 2003, Uncontrolled Cc

(c) BSI

Page 6 EN 12973:2000

Introduction

BSI

<u></u>

rough, 15 October 2003, Uncontrolled

1

Licensed Copy: Ibocvnz Ibocvnz, University of Loug!

and a star and the second s

The concept of Value relies on the relationship between the satisfaction of many differing needs and the resources used in doing so. The fewer resources used or the greater the satisfaction of needs, the greater the value. Stakeholders, internal and external customers may all hold differing views of what represents value. The aim of Value Management is to reconcile these differences and enable an organization to achieve the greatest progress towards its stated goals with the use of minimum resources.

Value Management is a style of management, particularly dedicated to motivate people, develop skills and promote synergies and innovation, with the aim of maximizing the overall performance of an organization. VM provides a new way to use many existing management methods. It is consistent with Quality Management. Value Management has been proven effective in a wide range of activities.

Applied at the Corporate level, Value Management relies on a value-based organizational culture taking into account Value for stakeholders and customers. At the operational level (project oriented activities), it implies in addition the use of appropriate methods and tools.

For a top manager to take a decision, whether this be in the definition of commercial strategy, the development of a new product or the conclusion of a financial agreement, requires a consistent approach toward addressing these issues. Value Management simultaneously addresses management goals, encourages positive human dynamics, respects internal and external environmental conditions and positively provides the methods and tools for achieving results.

The most visible benefits arising out of the application of VM will include:

- better business decisions by providing decision makers a sound basis for their choice;
- increased effectiveness by using limited time and resources to best effect;
- improved products and services to external customers by clearly understanding, and giving due priority to, their real needs;
- enhanced competitiveness by facilitating technical and organizational innovation;
- a common value culture, thus enhancing every member's understanding of the organization's goals;
- improved internal communication and common knowledge of the main success factors for the organization;
- simultaneously enhancing communication and efficiency by developing multidisciplinary and multitask teamwork;
- decisions which can be supported by all stakeholders.

The benefits are available to providers and consumers in all sectors of society:

- the industrial sector including manufacturing, construction and processing;
- the services sector, both public and private;
- the government, health, education and other public activities.

The Value Management approach involves three root principles:

- a continuous awareness of value for the organization, establishing measures or estimates of value, monitoring and controlling them;
- a focus on the objectives and targets before seeking solutions;
- a focus on function, providing the key to maximize innovative and practical outcomes.

The approach allows the accomplished manager to apply the principles intuitively, particularly in addressing high level issues such as commercial strategy. Equally, all levels of management may apply the methods formally, in a team environment, to solve specific problems. Value Management embraces specific management tools which may be applied in a rigorous and systematic manner to address all manner of issues ranging from strategic goals to the design of one single component.

In larger organizations, it is normal to introduce a structured framework to assist managers in applying Value Management consistently across the organization. In such organizations, individuals may have specific and well defined role functions within the process. In smaller organizations (such as Small and Medium size Enterprises), such roles may be less well defined and an individual may effectively perform several of them as part of his duties.

To achieve the universal and flexible application of Value Management throughout an organization, without losing effectiveness of the approach, requires that every member be aware of the fundamentals which drive value for that organization, and take decisions on a consistent basis.

The building of a Value Management culture within the organization is fundamental. It requires training and awareness campaigns appropriate to the activities, responsibilities and accountability of the individuals.

The existence of a mature value culture will change attitudes and working practices, encouraging groups to work together and reduce confrontation. The results will be reflected in a reduction of wasted and unnecessary effort and encourage the focus of limited resources on those areas which will give the greatest value.

Page 8 EN 12973:2000

1 Scope

The purposes of this standard are:

- to establish a common basis for management to implement and practise Value Management;
- to help team leaders and team members to practise the methods;
- to establish a basis for developing training and certifying procedures for individual competencies in Value Management;
- to establish a basis for Value Management contractors to provide services;
- to establish a basis for certifying companies and organizations;
- to improve the quality of Value Management and stimulate innovation in its use;
- to improve communication through the use of common terminology.

This standard provides a guide to all managers to practise Value Management and to introduce this discipline within their organization, and for all other members to understand and participate effectively in Value Management.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

EN 1325-1, Value Management, Value Analysis, Functional Analysis vocabulary - Part 1 : Value Analysis and Functional Analysis.

3 Terms and definitions

The term "Value" has been defined in EN 1325-1. It has the same meaning in this European Standard.

For the purposes of this European Standard, the following specific terms and definitions apply:

3.1

S S S S S S

Ο

vrough, 15 October 2003, Uncontrolled Cc

Licensed Copy: Ibocvnz Ibocvnz, University of Lough

J

Value Management (VM)

Value Management is a style of management, particularly dedicated to motivating people, developing skills and promoting synergies and innovation, with the aim of maximizing the overall performance of an organization

Applied at the Corporate level, Value Management relies on a value-based organizational culture taking into account Value for both stakeholders and customers. At the operational level (project oriented activities), it implies, in addition, the use of appropriate methods and tools.

3.2

Value Culture

Value Culture is an attitude, awareness and sufficient knowledge of what the concept of value represents for an organization and its stakeholders and of the factors that may affect this value

It includes an appropriate knowledge of available methods and tools and an awareness of managerial and environmental conditions which enable Value Management to flourish.

3.3

Value Management Programme

a Value Management Programme is a planned and structured array of activities which enables the development, implementation and maintenance of a Value Management Policy in a sustainable manner

3.4

Value Management Study

a Value Management study is the application of Value Management to a specific subject identified within a Value Management programme and may involve the use of one or more methods

NOTE: A Value Management study is a specific approach to a clearly identified subject. Value Management provides a set of methods that complement the Project Management methodology.

One or several specific Value Management studies may be carried out within a wider project.

3.5

Value Manager

a Value Manager is a person who is responsible for designing, developing and implementing a Value Management programme

4 The principles of Value Management

Relevance to the Top Manager

VM can then be defined as a transverse approach, a common way of devising the different management of specific areas of the enterprise (human relations, technologies, costs, ...). It focuses on the Value concept in order to validate operational objectives and to define specific strategies.

The top manager strives to obtain better outputs from the whole of the organization's assets, financial, material and human, to satisfy the expectations of shareholders and customers.

Value Management integrates the operational managers' efforts with those of higher management to provide a seamless focus on value throughout the organization. It provides this by concentrating objectively on outcomes which are in line with overall corporate objectives, in preference to local or short-term priorities.

Every manager will develop his own style of conducting his responsibilities within an overall, consistent VM culture, which embraces and encourages team work, communication and emphasis on the customer (internal or external) rather than the provider.

The resulting atmosphere encourages innovation, draws on the synergy of people working together and results in better utilization of resources to fulfil the organization's aims.

ļ

1 1

©BSI 06-2000

Page 10 EN 12973:2000

11

ш

 \odot

5 October 2003, Uncontrolled Co

vrough, 1

louc J jo

University

ţ

icensea Copy: Ibocvnz Ibocvnz.

4.1 Key principles

Value Management is distinct from other management approaches in that it simultaneously includes attributes which are not normally found together. It brings together within a single management system:

- management style;
- positive human dynamics;
- consideration of external and internal environment;
- effective use of methods and tools.

Management Style

The distinctive Value Management style combines several essential qualities to ensure the application of the concepts of value and function. These qualities and concepts include an emphasis on teamwork and communication; a focus on what things do rather than what they are (functional approach); an atmosphere that encourages creativity and innovation; a focus on customers' requirements and a requirement to evaluate options quantitatively to enable robust companison of options.

Human Dynamics

- Teamwork:
 - encouraging people to work together towards common solutions and avoiding confrontation;
- Satisfaction:
 - recognizing and giving credit for individual contributions and team results;
- Communication:
 - bringing people together by improving communication between them, fostering better common understanding and providing better group decision support;
- Encouraging change:
 - challenging the status quo to bring about beneficial change;
- Ownership:
 - the assumption of ownership of the outcomes of Value Management activities by those responsible for implementing them.

Environmental Considerations

- external conditions:
 - taking account of pre-existing conditions external to the organization over which managers may have little or no influence. These conditions may represent opportunities or constraints;
- internal conditions:
 - within an organization there will be existing conditions which managers may or may not be able to influence. Sometimes top managers can change internal conditions by changes in their organization's strategy;

- degrees of freedom:

31

BSI

Ο

rough, 15 October 2003, Uncontrolled Cc

P. P.

h

J

Licagsed Copy: Ibocvnz Ibocvnz, University of Lough

the external and internal conditions will dictate the limits of potential outcomes and should be quantified.

Effective use of methods and tools

- means of achieving outcomes.

Value Management provides the framework within which established and proven management methods can be applied in a structured and logical manner. Value Management brings these methods and others together thus ensuring each is applied, not in isolation, but in a holistic approach consistent with an organization's goals.

The methods enable issues at any management level to be tackled effectively.

4.2 Value objectives in Value Management dynamics

Setting objectives and monitoring their achievement are the responsibilities of the management of an organization or of a project. The ability of Value Management to deliver significant improvements depends largely on proper management of objectives.

At strategic levels, objectives shall be specified in terms of Value and be clearly established as baselines. This will enable the formulation of detailed objectives at all levels of responsibility.

At tactical levels, a detailed objective may represent a level of satisfaction of needs, a consumption of resources or a combination of both. In any case, the links with the Value objectives that have been defined at strategic levels shall be clear and logical. At each level, agreed measures shall be identified that will make it possible to monitor the evolution of Value objectives.

To achieve maximum effectiveness, it is important that the objectives decided upon be ambitious and show a clear will towards significant improvements in terms of Value. As such, they will be recognized by responsible managers as realistic and achievable. Achieving consensus of the Value Management objectives is an essential component for efficient teamwork.

4.3 Requirements

Putting the principles of Value Management into practice is made easier by implementing a framework which includes all levels within an organization. The framework promotes an attitude of mind and regulates the use of effective concepts, methods and tools.

4.3.1 Framework

The above principles of Value Management, Management Style, Human Dynamics, Environmental Considerations and Methods are brought together in a management framework comprising:

- a Policy;
- a Programme;
- training; and
- specific studies;

all of which help to establish a Value Culture within the organization.

Page 12 EN 12973:2000

BSI

છ

ပိ

rough, 15 October 2003, Uncontrolled

ised Copy: Ibocvnz Ibocvnz, University of Loug¹

ļ

h

4.3.2 Attitudes of mind and knowledge

The successful introduction of Value Management requires that every member in the organization becomes personally involved and committed to the principles.

This may require a significant change of attitude in which all members, especially top management:

- accept that there is always scope for improvement in every aspect of the organization;
- provide active support to the introduction of Value Management in their organization;
- accept the constraints due to the approach and apply the principles rigorously;
- actively apply the concepts and approach to their specific management responsibilities and tasks.

All members of an organization, whether directly involved in the formal practice of Value Management or not, need to be aware of the concepts of Value most appropriate for their particular responsibilities and tasks:

- top managers should be aware of the notions and concepts behind Value Management and of the benefits it can bring, so that they can define a Value Policy and promote the appropriate style of management;
- some trained and experienced middle managers should understand how to set up and participate in Value Management programmes within their organizations in a way which is consistent with the Value Policy;
- all other members of the organization need to understand the methods in which they are likely to be involved and have a general awareness and understanding of what represents value in their organization;
- specialists (who may be members of the organization or external consultants) should have sufficient knowledge and experience in the use of appropriate methods and tools, and should be able to develop and train others in their use.

To create the conditions in which Value Management will flourish requires the introduction of a Value Management policy consistent with the organization's goals, the introduction and development of a value culture involving all categories of staff and the identification of a programme of activities to achieve results.

This may be achieved by setting up a framework which defines how and by whom the Value Management policy will be implemented, including training personnel in the appropriate knowledge and skills.

4.4 The Concept of Value

4.4.1 Value

According to the definition of Value given by EN 1325-1, Value may be described, in the context of VM, as the relationship between the satisfaction of need and the resources used in achieving that satisfaction (See Figure 2).




Figure 6 — The concept of value

NOTE: The symbol α signifies that the relationship between the satisfaction of need and the resources is only a representation. They are traded off one against the other in order to obtain the most beneficial balance.

Value is not absolute, but relative, and may be viewed differently by different parties in differing situations. Generally achieving good value requires balancing a senes of conflicting parameters to arrive at an optimum position. For example, for external customers it represents the extent to which what is provided meets their expectations and the amount they have to pay to acquire and use the product or service. For the supplier, the fewer resources needed to satisfy the external customer, the better the value.

Within an organization, improved value may be represented by changing the way in which processes are carried out so that the same outcome is achieved within a shorter timescale or by using fewer resources.

To succeed in making real and objective improvements in value, it is necessary to have some basis by which Value is determined and to quantify, in some way, the top and bottom of the above relationship shown in Figure 2.

31

Page 14 EN 12973:2000

The optimization of Value is achieved by balancing the amount to which needs are satisfied against the resources utilized in so doing. It is important to realize that Value may be improved by increasing the satisfaction of need even if the resources used in doing so increase, provided that the satisfaction of need increases more than the increase in the use of resources (see Figure 3).




Figure 3 — Different ways of achieving equal value increases

For example a manager who wants to increase the output from his factory may add more plant or increase automation. Need is satisfied in both cases, but the overall resources used (initial cost plus operation costs plus other considerations such as influence on environment) may be less in the first or in the second solution, and consequently the value may be higher.

4.4.2 Need

As defined by EN 1325-1, need is what is necessary for or desired by the user. Management needs will differ for specific situations.

The total need generally comprises many different components. For example, use needs and esteem needs can be distinguished.

Use needs are the parts of the total need which refer to tangible measurable activities. For example, for a person who wants to eat a piece of meat, a knife should be able to make slices, and for the manager a factory should generate outputs. Similarly for the production manager, the purchasing department should have processes in place which allow the organization to buy raw materials and other items at the best price.

Esteem needs are the parts of the total need which are subjective, attractive or moral. Using the same examples as above, a knife may also need to be decorative or a factory provide the platform to impress customers and generate sales. The purchasing department should have attributes which encourage people to do business with them and retain the loyalty of staff.

The degree to which some of these needs are satisfied is easily measurable but others are less so. For instance, the units of measure of marketed goods and services is generally straightforward. However, for items which are not marketed, such as patient care in a hospital, other observations relating to the satisfaction of the need, such as the number of complaints, might need to be used as a measure. In these cases management methods such as cost-benefit analysis can be used to quantify non marketed needs.

Where satisfaction of a need cannot be quantified in monetary terms, it should be evaluated by the study team against an index using methods based on the opinion of a representative panel.

A need may arise, subsist, develop, and disappear due to reasons related with the person or entity, or to changes in the environment, the culture, or the technology available.

The need may be stated, implied or latent and the development of new products or services might trigger needs that have not yet been expressed.

Value Management should take into account all aspects of the needs for the organization, its customers and its owners.

Each of these needs is satisfied, in whole or in part, by the functions performed by the subject product or service.

4.4.3 Functions

5

J

BSI

0

irough, 15 October 2003, Uncontrolled Cc

According to the EN 1325-1 definition, a function is an effect of a product or of one of its constituents.

A need can be objectively described by certain functional requirements. The extent to which each of these functions is performed is assessed by the application of levels of evaluation criteria, preferably complemented by flexibility indications.

Those functional requirements concern what are called "user related functions" or URFs, and those attributes expected of a product, or performed by it, in order to meet a part of the need of a defined user.

URFs are enabled by functions internal to the product. Those internal functions are called "product related functions" or PRFs.

It is normal to express functions by use of an active verb and a measurable noun.

For good value regardless of the level of resource, the functions performed by the product should exactly match those required to satisfy the need as illustrated in Figure 4:




Figure 2 — Product performs functions to match the need

j

1

©BSI 06-2000

Page 16 EN 12973:2000

)

BSI

Θ

srough, 15 October 2003, Uncontrolled Cc

icensed Copy: Ibocvnz Ibocvnz, University of Loug'

のなたのであるとうののためのでの

The abstract expression of functions (as distinct from the needs or solutions to satisfy those needs) is necessary to promote creativity and thus provide greater freedom for exploring innovative solutions.

Enhancements in value will be achieved by consideration of alternative ways to meet the required functionality.

4.4.4 Resources

Resources comprise everything that is required to satisfy the needs.

Resources will include not just cost (both long and short term) but also time, materials and other inputs, whether physical such as materials or abstract such as intellectual property.

The availability of resources is usually limited, with some resources being more critical than others. The availability of a resource may be of greater importance than its monetary cost. Generally all resources can be related to a cost.

In the development of a new product or service all resources likely to be needed for its development and production should be estimated. For an existing product, service or activity (such as management) the current use of resources can be measured and should form the basis from which improvements can be measured.

Recently the importance of time has increased because, for example, being first in the market place in itself often provides advantages.

4.4.5 Value comparison

Once the satisfaction of needs and the use of resources have been quantified (either in absolute or comparative terms), their ratio provides a measure of value which can be used for comparing one solution with another (See Figure 5).

| FUNCTIONS | ⇔ | CHARACTERIZED BY CRITERIA, LEVELS AND FLEXIBILITIES | ⇔ | SATISFACTION OF NEEDS | 5 |
|-------------------------------|---|--|---|-----------------------|----------------|
| | | | • | | <u>O VALUE</u> |
| COSTS AND OTHER ASSESMENTS | Û | MATERIALS/PEOPLE TIME/OTHERS | ⇒ | USE OF RESOURCES | |
| | | | | | |

Figure 3 — The relationship between needs, functions and criteria, and resources

4.5 The Value Management Approach

The practice of Value Management requires that all levels of management adopt attitudes based on Value, which are appropriate to the organization to which they belong.

Value management is not simply the management of specific activities but a structured approach that requires that the following conditions be satisfied:

- commitment by the highest level of management to the concepts of value and function consistent with their goals (see key principles, 4.1);
- existence of a Value Policy consistent with the organization's goals;
- definition of objectives in terms of value;

- setting up of a Framework defining how and by whom the VM policy will be implemented;
- introduction and development of a Value Culture, involving all members of the organization, including training activities;
- recognition that management's responsibilities include two areas:
 - day-to-day management tasks in which they will apply the principles of Value Management intuitively;
 - specific management projects in which they will apply the methods of VM formally;
- determination of a programme of studies to which the methods will be applied to enhance value;
- feed back of results for continuous improvement.

5 The application of Value Management

Introduction

31

BSI

 $\widehat{\mathbf{O}}$

prough, 15 October 2003, Uncontrolled Cc

)

RECENTED AND A MARKEN AND A RECENT A

The previous clause described how the key principles of Value Management combine Management Style, Human Dynamics, Environmental Consideration and Methods and Tools. For these to be effectively and consistently applied, it is necessary to provide a management framework. This is described in the following clause and provides the essential link between the key principles and practical application and is illustrated diagrammatically in Figure 6.




Figure 4 — Successful Value Management is provided by a framework which integrates Management Style, Environmental Considerations, Human Dynamics and Methods & Tools

Page 18 EN 12973:2000

1

BSI

15 October 2003, Uncontrolled Co

srough,

Liceffed Copy: Ibocvnz Ibocvnz, University of Loug

ļ

5.1 Application of the principles

Management Style

Application of the concept of Value.

The value of an outcome is measured by the relationship between its effectiveness in achieving the objectives (or satisfaction of need) and targets, and the resources consumed.

Management's aim is to achieve the greatest value for the different activities within their organization compatible with the satisfaction of the customers.

- Application of the concept of Function.

Defining the desired outcome in a measurable manner or so that it can be assessed and setting targets before seeking the means of achieving it.

Describing the outcome and the means of achieving it by the functions to be performed by the product or system, or by its subsystems, rather than by their physical characteristics.

Creativity.

Expressing the functions abstractly to enable creativity and innovative solutions.

Encouraging creativity through positive human dynamics and the use of creative methods.

Customer Focus.

The focus of attention is on identifying and satisfying the real needs of the customer, both internal and external to the organization.

The needs of all stakeholders should also be addressed.

- Quantitative Evaluation.

Defining means of measurement or evaluation and setting quantified targets, in absolute or relative terms.

Measuring outcomes and comparing with the targets as a means of objective evaluation.

Human Dynamics

In any organization its people are likely to be its most valuable resource. Making the best use of this resource is therefore vital. The people have the technical and managenal skills and the ability to communicate, but unless each of these is properly managed, people will not perform at their best.

In Value Management, the relationships and communications between people and emphasis on teamwork is paramount to achieve success.

Good communication is essential. Those involved in Value Management should be aware of and if necessary, trained in good communication. One of the greatest benefits of Value Management is the enhancement of communication between individuals in different parts of the organization or disciplines. This is achieved partly by encouraging good communication in the manner described above and partly by promoting good teamwork.

Team work requirements:

BSI

ΰ

rrough, 15 October 2003, Uncontrolled C

University of Loug

Team working is essential to achieve effective results.

To perform effectively, a good team should include each of the managerial and technical disciplines relevant to the task in hand. However, to be really productive, it is important to include a balanced mix of individuals, maintaining a reasonable size to the team, compatible with the efficacy of work. Every individual has a different but useful contribution to make to the team. To be successful, the team requires a leader, specialists and other members. A team made up only of specialists will not be as successful as that with a balanced mixture of characters.

To select the members of a team, the role to be played by each individual should be taken into account.

Value Management study leaders should be aware of methods of selecting team members, building teams and managing groups of people.

A well selected and trained team, communicating effectively will act with synergy, providing enhanced output and will readily accept ownership of outcomes which they may be responsible for implementing.

Environmental Considerations

The environment within which an organization exists shall be taken into account in any management action.

Value Management takes into account the broader environment, such as the organization's customers, suppliers' statutory and legal constraints, ecological considerations and it brings together various management methods so that they are used and applied when and where they are most effective.

Such pre-existing conditions may act as constraints whether imposed from outside the organization (for example national or international laws or public opinion) or from inside the organization (for example policy matters and culture). They may also take the form of opportunities, such as new legislation opening up new markets.

Examples of external environmental considerations include:

- laws and regulations, local, national or international;
- national and international customs, codes of practice, social and economic behaviour etc.;
- market conditions, competitors and suppliers;
- physical boundaries and infrastructure;
- limited availability of resources;
- ecological environment.

Examples of internal environmental considerations include:

- internal Policy and organizational rules;
- staff know-how and competence;
- culture of the organization and relationships between people;
- existing organization and processes for doing business;
- financial limits.

icensed Copy: Ibocvnz Ibocvnz

Page 20 EN 12973:2000

In either case the control of such opportunities or constraints is likely to fall outside the scope of Value Management studies but shall be taken into account.

Whereas middle managers are generally obliged to comply with environmental considerations, they should always be prepared to challenge the status quo since top management may be in a position to make exceptions to certain rules or bring about changes in policy matters or even legislation. Management should not take environmental constraints for granted.

Methods and Tools

(c) BSI

prough, 15 October 2003, Uncontrolled Co

Tricensed Copy. Thocknz Ibocknz, University of Loug

Value Management methods fall into two classes:

- the method of undertaking a formal Value Management study the VM study Plan;
- the methods (or techniques) used within a Value Management study.

The Value Management study Plan is described in Section 5.2 below and should be applied for all Value Management studies undertaken by the organization.

The methods most commonly used within VM studies are introduced in Section 6 below and described in more detail in the informative Annex A, where further methods are also listed.

5.2 The Value Management Framework

The interrelationship between the components of Value Management and the rest of an organization's management structure is indicated schematically in Figure 7.




Figure 5 — Illustration of Value Management Framework within an Organization

Generally a Value Management study will be undertaken for relatively important or complex issues for which the investment entailed by the formal approach must be justified. The presence of a Value Management culture enables intuitive optimization of other issues.

BSI

ΰ

Page 22 EN 12973:2000

11

1

Trough, 15 October 2003, Uncontrolled Cc

Value Culture

The Value Culture should be present at all levels in the organization, whether actively involved in the VM process or not, and will be reflected in the organization's approach to doing business and how its members respond to challenges and opportunities presented to them.

The culture includes a common way of thinking and embrace an awareness of what Value represents for the whole organization.

The Value Culture includes an attitude, awareness and sufficient knowledge of what the concept of value represents for an organization, and involves making all members aware of the concepts, knowledge and tools and of the importance of value. This culture will vary from one organization to another but will be consistent throughout an organization.

In any organization with an established Value Culture, the main basis for decision making is value.

Value Management Policy

To practise Value Management, it will be necessary to introduce a Value Management Policy which will address all the aspects of Value Management in the Organization. This policy will be based upon the Organization's General Management Goals at the highest level since this will set the pattern for all other activities and objectives.

Top management shall adopt an outward looking policy to satisfy the expectations of stakeholders, external customers and, often, financial analysts. Middle management needs to focus on internal issues to deliver the outcomes to support top management. Both views shall be reflected in the Value Management Policy.

The appropriate Value Management Policy should be decided at top management level and be made the responsibility of a single manager or steering committee.

Value Management Programme and Organization

A Value Management Programme is a planned and structured array of activities which expresses the manner of implementation, development and maintenance of a sustainable Value Management Policy.

The task of designing, developing and implementing a Value Management Programme should be made the responsibility of a single individual, the Value Manager. The Value Manager reports directly to the highest levels of management and may chair a VM steering Committee. His duties will include:

- to collect and identify suitable subjects for VM studies;
- to define the scope of such studies;
- to estimate the target benefits;
- to form appropriate teams and identify team leaders;
- to organize training as necessary;
- to supervise progress of the studies and assist as necessary;
- to ensure that studies are conducted effectively by people with appropriate competencies.

In small and medium sized organizations, it should be recognized that one member of staff, or even the owner, may need to take on several of the roles which have been described above as applying to separate individuals in a large organization.

Necessarily the groups involved in undertaking Value Management studies may be smaller, but the same consideration regarding multidisciplinary teams and human dynamics should be applied.

This does not detract from the relevance of Value Management, but may result in a less formal approach in its application. To supplement their internal skills, such an organization may call upon the services of an external expert to conduct specific exercises or provide training.

The Value Management Programme will include:

- integration of Value Management within the organization and development of procedures;
- quantified targets, performance indicators and other means for assessing results;
- Value Management studies;
- appropriate resources, teams, timetables and budgets;
- a plan for appropriate deployment of resources;
- training and awareness for members of the organization;
- supporting non Value Management studies;
- a management plan of actions to be taken to implement the outcome of Value Management studies;

•••

mechanisms for feedback of results and continuous improvement (for example by a way of a procedures manual).

NOTE: Targets should be set for all the critical issues identified within a Value Management study. These targets may relate to more general management goals or they may be specific to the study. In either case they should be expressed in parameters which are measurable and they should provide yardsticks for measuring real improvements in performance, related to the management goals.

Value Management study

A Value Management study involves the application of one or more methods to a specific subject identified within a Value Management Programme. It will be led by a study leader and will have defined objectives.

The Value Management study will, regardless of the level at which the study is being undertaken, follow the sequence set out in Figure 8 below:

- a) define the objective(s) of the Value Management study in relation to the Value Management Policy and Programme;
- b) identify the methods and the supporting processes needed to achieve the objectives and select the teams (including application of training as necessary);
- c) identify the functions which are essential to achieve the objectives and which together will result in the objective being attained;
- d) identify how to measure changes in performance and use of resources;
- e) set targets for performance and use of resources for each of the functions identified above in the most effective manner for the organization as a whole;
- f) apply the methods and supporting processes to identify innovative ways of achieving the targets;
- g) select and validate proposals for improvement;
- h) implement the proposals which have been chosen by the decision maker;
- monitor and measure the outcomes and compare with targets;
- j) feed back results for continuous improvement of the Value Management Programme.

Licensed Copy: Ibocvnz Ibocvnz, University of Lough

11

BSI

ΰ

"rough, 15 October 2003, Uncontrolled


Page 24 EN 12973:2000

rrough, 15 October 2003, Uncontrolled

Licenses Copy. Idocviz Ibocviz, University of Lcug

J

The above Value Management study plan supplements the work plans of the different Value Management disciplines. Points c), e), g), h) and i) in particular correspond to phases of these work plans. Point b) corresponds to the fact that a Value Management study often combines several Value Management disciplines and different supporting processes.



In addition to the other duties set out in Figure 8, the study leader should set a timetable for the study and identify the resources to be used. The timetable of the study should be consistent with available resources and related activities or events within or outside the organization.

A study may involve the use of one or more methods, chosen for their appropriateness to the study type rather than existing competencies within the organization and will include, in report form, recommendations for a plan for implementation of the results.

When a study and the implementation of its results is complete, the study leader should undertake an audit to ensure that all benefits have been implemented and to provide the basis of feedback for the benefits of future studies.

Value Management studies and other formal projects

3

BSI

ΰ

ပိ

rough, 15 October 2003, Uncontrolled

Lice: used Copy: Ibocvnz Ibocvnz, University of Lough

]]

The Value Management contributions to a formal project may be continuous or focused to address issues requiring particular attention. Often they will coincide with specific project milestones in order to assist the project management team progress from one phase of the project to the next.

The relationship between the Value Management contribution and typical Project Management activities is illustrated in Figure 9 below.

TYPICAL PROJECT STAGES




Figure 7 --- Interaction of Value Management with Project Management

Most projects pass through similar evolutionary stages from inception to completion. The coordination of Value Management activities throughout the project improves confidence that one stage is sufficiently complete and that conditions are right to progress to the next stage.

Value Management Training

Before an organization can embark on a Value Management Programme or specific Value Management studies, it will be necessary to ensure that adequate competence exists within the organization (unless such expertise is brought in from outside). Training is necessary not only to develop the Value Culture in the organization but also to develop competence in the management and skills to be used within a Value Management Programme.

©BSI 06-2000

Page 26 EN 12973:2000

This requires identifying the levels of competence in each of the methods to be applied across the organization and then applying appropriate levels of training.

Training will specifically be required in the following areas:

- for Senior Managers to enable support for Value Management activities;
- for Value Management study leaders and team leaders who will need to apply the methods;
- for team members to enable effective participation in the studies;
- for other staff to enable them to provide information to the studies and to develop an awareness of value.

When first trained in Value Management methods, individuals at operational level should recognize the limits of their competence and address relatively straightforward issues. As the Value Management Culture matures and those involved accrue experience (backed by appropriate training), so the more experienced individuals may apply the processes to more complex and strategic issues.

The application of a method of assessing and recognizing individual competencies will avoid exposing inexperienced individuals to challenges which exceed their competence levels.

6 Value Management methods and tools

6.1 A selection of methods commonly used in Value Management

Several different Value methods and tools, many of which are related, have been developed over the years. We call these the specific Value methods and tools.

Currently these include Value Analysis, Functional Analysis, Function Cost, Functional Performance Specification, Design to Cost / Design to Objectives.

Each of the following sub-sections outlines one of these methods or tools and its use within Value Management. Detailed descriptions are given in the informative Annex A.

There are other methods and tools that may be used concurrently with the specific methods (for example Creativity, Failure Mode Effects and Criticity Analysis, Life Cycle Cost, Quality Function Deployment, and many others). Some of these are also listed in the informative Annex A.

All of the available methods shall be considered for use in any given study; they should be combined to a reate the most suitable approach to the proposed study.

6.2 Specific Value methods and tools

6.2.1 Value Analysis (VA)

6.2.1.1 Presentation

Value Analysis is the basis from which Value Management has developed. Today VA is a powerful and most frequently used method to undertake VM studies,

It is defined as an organized and creative approach, using a functional and economic design process which aims at increasing the value of a VA subject.

The use of VA makes organizations more efficient by improving the competitiveness of their products. This improvement is obtained by an approach applied to the product that makes it possible for the producer and the user to design, produce, maintain and use it effectively.

Page 27 EN 12973:2000

6.2.1.2 Value Analysis and Value Management

Together with other techniques which help to establish value, VA is one of the specific VM methods. VA can be considered to be for tactical use, i.e. applicable to definite projects and used concurrently with other VM methods such as Functional Performance Specification (FPS) or Design to Cost/Design to Objectives (DTC/DTO).

6.2.2 Functional Analysis (FA)

6.2.2.1 Presentation

Following EN 1325-1, a function expresses the effect of a product or of one of its constituents and is accompanied by performance indications (levels and flexibilities). This simple concept provides Functional Analysis with an important added value.

FA involves identifying functions, validating them with the help of clear logical elements and characterizing them. This approach enhances communication to obtain a common understanding between the team members as to the project fundamentals.

FA is used:

BSI

 \odot

rough, 15 October 2003, Uncontrolled Cc

ice%sed Copy: Ibocvnz Ibocvnz, University of Lough

ADARDAD NASADANAN SANAN SA

- to identify the functions of a product, a system or an organization;
- to quantify the performances to be reached;
- to act as a means of improved communication between those involved in the definition, the design and the development of the product.

FA requires those involved in the study to abstract themselves from solutions and to think in terms of objectives and end results. Viewing the problem in the abstract removes constraints and encourages creativity.

Describing the product's functions facilitates a common language and enables thorough comparison between needs and products.

The term user shall not be limited to the end user alone, even if the latter is often the principal user of the product. We shall identify and consider as users all those who, for each of the phases of the product's life cycle, have particular requirements or expectations with regard to the product.

FA is a process that results in a comprehensive description of the functions and their relationships, which may be systematically characterized, classified and evaluated. The function model is the result of Functional Analysis (see EN 1325-1). It may be represented by diagrams which provide a common understanding by the working group of the functional performance.

6.2.2.2 Functional Analysis and Value Management

FA is an essential component for quantifying value and is therefore at the heart of the VM approach, at any strategic or technical level.

The kind of FA and the kind of functions that are worked on may change during the progress of study, beginning with the formalization of the marketing objectives and ending with the validation of a proposal, which ensures that the reliability and safety necessary for the fulfilment of the objectives will be met.

Furthermore, formal FA should be performed by other disciplines and this gives an opportunity to combine approaches and methods of complementary fields such as safety and reliability.

FA, naturally both creative and rational, strongly contributes to the evolution of the culture in the enterprise, helping it on the way to VM.

Page 28 EN 12973:2000

BSI

 $\widehat{\mathbf{o}}$

rough, 15 October 2003, Uncontrolled Co

Licensed Copy: Ibocvnz Ibocvnz, University of Lough

6.2.3 Function Cost (FC)

6.2.3.1 Presentation

Costs calculated by conventional procedures are usually expressed on an elemental basis. Reallocating costs to the functions of a product provides new insights to the way we consider that product.

A function cost is the total of the expenditure (use of resources) predicted or incurred in providing a function in a product. The sum of the costs of providing all the different functions equals the total cost of the product. Determining function costs is part of the FA process.

NOTE: This section only refers to initial costs. Whereas the life cycle cost of the whole of a product is often to be considered, those of isolated functions can rarely be significant and are not usually considered.

6.2.3.2 Function Cost and Value Management

We often need to know the value of individual functions (for instance for marketing decisions) as distinct from the value of the products or services as a whole. FC provides the "link" between the product features expressed in terms of function(ality) and the related cost. Consideration of the cost of functions (instead of elemental costs) is a powerful method within the VM approach.

In many cases, it is only possible to define value in accordance with the description outlined above in relative figures. Even if reliable and absolute figures are difficult to obtain, the construction of the function costs is very beneficial. The benefit is not in the calculation of precise figures, but the insight gained by thinking about the value of a product as a whole and about the value of each of its attributes.

FC provides deeper insight of how the value of a product is constituted. It requires critical, objective discussions and because each cost element shall be related to at least one function, it explains the reason for its existence.

6.2.4 The Functional Performance Specification (FPS)

6.2.4.1 Presentation

A Functional Performance Specification is a document by which an enquirer expresses their needs (or those which they are responsible for expressing) in terms of user-related functions and constraints. For each of these, evaluation criteria are defined together with their levels, with a certain degree of flexibility being assigned to each one.

The expression of these user's needs in the FPS is made in functional terms without reference to the technical solutions that may satisfy them and with a minimum of constraints.

This allows the enquirer to obtain from the designer, manufacturer or supplier the design, the realization or the proposal for the most efficient product, that will be the most advantageous for the user.

To achieve this, it is necessary that every opportunity should be explored and that the terms of the FPS should stimulate the designer, manufacturer or supplier to optimize the product or to find the best proposal. This implies that the possible flexibilities should be indicated. It encourages constructive dialogue between a client and a supplier or contractor.

The FPS encourages the examination and the comparison of different proposals on a functional basis, the framework of which is given by the FPS and used in the supplier's response.

6.2.4.2 The Functional Performance Specification and Value Management

FPS can be used for any product, service or process.

The enquirer can be the direct user of the product, or the Marketing Department of a company that will sell it. The enquirer can be a buyer who has to acquire the product for a user, or they can be the designer who has to integrate the product as a component or sub system into the system they are developing.

FPS may be used either in the relationship between a client and a supplier or, inside an enterprise, between a department that asks for a product (for example a production tool or a service such as a particular accounting study) and the department that is going to both design and deliver it.

6.2.5 Design to Cost (DTC)/Design to Objectives (DTO)

6.2.5.1 Presentation

Design to Cost is an anticipative managing method which, from the start of the development programme of a product or system, takes the production costs into account. It does so until the end of development, when industrial costs consistent with the goals that were aimed at are obtained.

The anticipated production cost is considered as a performance that must be attained, as well as the technical performances, which can even be reduced if necessary. During development, a balance between cost, performance and schedule will be a permanent and continuously assessed concern.

DTC makes it indispensable to have a management procedure which is supported by a continuous exchange of information and coordinated actions between customer and contractor, or between contractor and sub-contractors. From the start of a programme onwards, it requires organization, procedure trade-off rules, and cost estimating tools.

DTC requires a plan that describes all the tasks, from the beginning to the end of the programme.

Design to Cost (DTC) evolves into Design to Objectives (DTO) when objectives other than costs are considered.

NOTE 1: DTC monitors the trade-offs between cost, performance and schedule, these being attained through the best available tools. This leads to emphasizing the importance of Value Analysis for a DTC management of a project, although VA and DTC are distinct methods. DTC does not imply that VA should compulsory be used.

NOTE 2: On the contrary, Functional Analysis is one of the steps of the DTC process. This highlights the relationships between VM methods and tools.

6.2.5.2 Design to Cost and Value Management

DTC appeared several years after VA and FA. Up until then, to some extent, VM methods had been used to maximize Value without profoundly questioning the functions and performances that were considered as expressing the need, once they had been carefully determined.

DTC brought a new dimension for the management of organizations.

J

ſ

IJ

(c) BSI

rough, 15 October 2003, Uncontrolled Cc.

Licexsed Copy: Ibocvnz Ibocvnz, University of Lough

Page 30 EN 12973:2000

Annex A (informative)

Methods and tools to be used within Value Management

- Specific Value Methods and tools

- Other methods and tools

A.1 Specific Value methods and tools

In order to make this annex a self-sustaining document, the presentation chapters of clause 6 of EN 12973 are given at the beginning of the sections beneath.

٠.

A.1.1 Value Analysis (VA)

A.1.1.1 Presentation

BSI

6

October 2003, Uncontrolled

<u>n</u>

rough,

Lough

đ

icensed Copy: Ibocvnz Ibocvnz, University

Value Analysis is the basis from which Value Management has developed. Today VA is a powerful and most frequently used method to undertake Value Management studies.

It is defined as an organized and creative approach, using a functional and economic design process which aims at increasing the value of a VA subject.

The use of VA makes organizations more efficient by improving the competitiveness of their products. This improvement is obtained by an approach applied to the product that makes it possible for the producer and the user to design, produce, maintain and use it effectively.

A.1.1.2 Detailed description

- (1) Characteristics
- (a) General considerations VA helps formulate problems correctly and solve them.

The method applies to the design of products in order:

- to provide the services which the customers and users request;
- to optimize the use of the resources of the organization and/or of the users.

(b) Fundamental Elements of VA

It has been explained in 4.1 that VM brings together:

- management style;
- human dynamics;
- consideration of internal and external environmental factors;
- methods and tools.

To be successful, all VA activities and projects have to be managed according to certain principles, which define responsibilities of management within the VM structure of an organization.

In any VA action human factors are important. This human element embraces, among others, factors like team membership requirements, team leadership and personal behaviour requirements.

A special consideration has to be given to the environment in which VA studies are carried out. In particular, the effects of and the effects on the organization, its customers and suppliers, of statutory and legal constraints as well as ecological requirements have to be taken into account.

(c) The methodology of VA

The VA methodology is characterized by:

- a functional approach that requires the problem to be formulated in terms of end results and not in terms of solutions; it establishes what is essential and relevant, and thus avoids the tendency of participants to limit themselves to existing solutions and to unconsciously exclude possibilities;
- the functional approach requires the use of formal Functional Analysis (FA) (see A.1.2):
 - to clearly define the need through the identification and formulation of user-related functions, the description of which includes their level of performance (URF's, see Å.1.2.2);
 - to organize the creative phase; it deals first with the architecture of the product and then its detailed development, using for the latter product related functions (PRF's, see A.1.2.2) to support the working group's train of thought;
 - to carry out a critical review of existing solutions and techniques, eliminating or reducing the possible unnecessary or undesirable functions;
- an economic approach which takes into account the economic aspects of issues by systematic reference to costs and value criteria, both of previous products of similar type (and to their functions), and those that can be estimated for each function or each alternative solution;
- a multidisciplinary team approach, the notable features of which are:
 - it promotes the solving of problems that, otherwise, would be tackled only successively and separately by different people who play a part in the creation and realization of the product;
 - the team brings together the required multidisciplinary skills and persons with different training and responsibilities;
 - thus the team-work makes it possible to arrive at a consensus on functions, performance, principles, solutions and costs;
 - team-work favours the exercise of creativity and improves and increases the available information;
 - in particular, the team shall include members who have the necessary expertise for cost estimation on the basis of the information available at each stage;
 - the team makes proposals, but the acceptance remains that of the decision-maker;
- a creative approach which aims at increasing the variety of solutions to consider and takes into account the market, the environment and technical change;
- a systematic, organized and participative approach, using a typical work plan which is explained in (2).

Page 32 EN 12973:2000

Notable features of VA work are:

- a critical analysis of data, information and solutions before they are taken into account;
- its typically iterative process;
- the specific use of techniques and tools, among them functional analysis and value thinking;
- the motivation for those who use VA.
- (2) Implementation

(a) VA work plan

BSI

0

ö

rough, 15 October 2003, Uncontrolled

Licensed Copy: Ibocvnz Ibocvnz, University of Lough

The main part of the method element is the VA work plan (table A.1) which describes a process in nine phases (plus a preliminary phase) and is a synthesis of the approach that proved efficient in practice. It provides a good understanding between team members and a good follow-up to the analysis being carried out. In practice, the implementation takes into account the many different situations.

Hereafter, in order to be easily understood, the VA work plan is described for industrial enterprises. Moreover, it is described following a sequential process, whereas in fact its real application is iterative: each phase can be considered again in the light of the phases that have followed it. Similarly, overlaps between some phases can be desirable.

(b) Organization

The matrix (see table A.2) shows the division of responsibility and participation for each phase of the VA work plan.

(3) Uses and applications

VA originated in the United States around 1947 and was first applied to redesign existing products. It has rapidly been put into practice for new product development. Areas of application have widened to include non-material subjects such as administrative procedures or organization systems.

The widening of the field of application of VA, the expansion of VA techniques, particularly the application of functional analysis and the value concept in management practices, has given birth to VM, of which it is one of its core techniques.

AINI JAAPAR / QS / KSPU / ITM S.A.

Page 33 EN 12973:2000

| Basic Phases | Elementary Steps | Comments on the elementary steps | The tools used * specific VM tools | |
|----------------------|--|--|--|--|
| 0 Preliminary | 0.1 Project outline | | | |
| phases | 0.2 Feasibility investigation, risk analysis | These are high level | Cost-estimating models (for development, for production) | |
| | 0.3 Profitability investigation, what is at stake | and short studies | | |
| | 0.4 Decision-maker and VA project leader selection | | * Definition of VA projec leader requirements | |
| 1 Project definition | 1.1 The subject | | | |
| | 1.2 Framework of the study | Coherence with the organization strategy | | |
| | | Laws, regulations | | |
| | | Constraints | | |
| | | Scope and limits of the study | | |
| | 1.3 Premises of the data about problem | Needs to be satisfied | | |
| - | | Market | | |
| | | Competition | | |
| | 1.4 Marketing objectives | Position relative to competition (price, performances attained, advantage over competition) | | |
| | 1.5 General objectives | Cost or cost reduction (development, production) Dependability (reliability, safety, maintainability, availability) | s | |
| | | Retum on investment rules for decisions and selections | | |
| | | Allowance of time | | |
| | | From a strategic and economic point of view | | |
| | | Manpower, equipment | | |

Table A.1— Value Analysis work plan

. .

1)

]]

 $\left[\right]$

[]

 $\left[\right]$

]]

]]

i

いたちの人もうないというないないないないないないので

Licessed Copy: Ibocvnz Ibocvnz, University of Lough rough, 15 October 2003, Uncontrolled Co

(c) BSI

Page 34 EN 12973:2000

(c) BSI

rough, 15 October 2003, Uncontrolled Co.

]]

|]

))

ころうちょうとうちょうとうべんなんないのない

LiceRsed Copy: Ibocvnz Ibocvnz, University of Lough

| | Basic Phases | Elementary Steps | Comments on the elementary steps | The tools used * specific VM tools |
|---|--|---|--|---|
| | | 1.8 Participants | Fundamental guidelines and general instructions only (this matter has to be considered in de-tail when constituting the working team) | |
| | | 1.9 Preliminary risk analysis | The risks brought about by the project, those brought about by the product | |
| 2 | Planning | 2.1 Constituting a working team | According to the problem, the team may also be created during phases 3 and 4 | Rules applying to the composition of VA teams |
| | | 2.2 Working out an initial time schedule | | |
| | | 2.3 Agreeing venue for work | | |
| (| Gathering comprehensive data about the | 3.1 Information gathering (internal, and external): - technical information | Typical sources: - After-sales; | |
| : | study | (about the product); | - Gathering of field experience; | |
| | | - economic | - Technical manual. | |
| | | - about competition; | | |
| | | - state of art (technology). | Comparative to | |
| | - | 3.2 Detailed market survey. competition | | |
| | | - customer requirements; | (internal and external) | |
| | | - the market; | externaly | |
| | | determination of the position of the product to be developed. | | |
| | | 3.3 Miscellaneous: | | |
| | | - bibliography; | | |
| | | - patents; | As a source of | |
| | | laws and regulations, standards; | information, of constraints | |
| | | organization's rules, manuals, standards, etc. | | continue |

able A.1 (continued)— Value Analysis work plan

.

Page 35 EN 12973:2000

| | Basic Phases | Elementary Steps | Comments on the elementary steps | The tools used * specific VM tools |
|---|---|--|---|---|
| 4 | Functional analysis, cost analysis, detailed objectives | 4.1 Expression of need and functional analysis | Structuring and hierarchical ordering of functions, establishment of the function structure Functions characterization Key functions compared to competition | Functional analysis techniques Organizing the functions (trees, FAST diagrams) Functional Performance Specification (see Section A.1.4) Evaluation criteria, their levels, cost variation claimed or accepted for a variation in a level Techniques for the establishment of function costs Dependability studies (and among them: need FMECA, risk analysis) |
| | | 4.2 Cost analysis and function cost4.3 Fixing detailed objectives and evaluation criteria | Within the global objectives set by Management | |
| 5 | Gathering and | 5.1 Gathering of existing ideas | Management | |
| | creation of solution ideas | 5.2 Creation of new ideas | Successive consideration of: - a global arrangement of proposals; - more detailed | Creativity techniques Organization of PRFs |
| | | | solutions for the concepts that are being contemplated Search for possible | |
| | | 5.3 Critical analysis | useless or undesirable functions | continu |

Value Analysis work plan

(c) BSI

Liceqsed Copy: Ibocvnz Ibocvnz, University of Lough rough, 15 October 2003, Uncontrolled Co

]]

]

©BSI 06-2000

Page 36 EN 12973:2000

]]

[]

Ŋ

(c) BSI

]]

モンスロシスシュレース

Licersed Copy: Ibocvnz Ibocvnz, University of Lough rough, 15 October 2003, Uncontrolled Co,

| | | Table A.1 (continued)— Val | | T |
|---|------------------------------------|---|---|---------------------------------------|
| Γ | Basic Phases | Elementary Steps | Comments on the elementary steps | The tools used * specific VM tools |
| 6 | Evaluation of solution ideas | 6.1 Evaluation of ideas, combining them | | Cost estimating models |
| | | 6.2 Choice of what is to be developed | | |
| | | 6.3 Work programmes for development | | |
| 7 | Development of global proposals | 7.1 Studies, tests, industrial development | This is within the scope of the regular activities of the organization | |
| | | 7.2 Follow-up, coordination | •• | |
| | | 7.3 Evaluation of the solutions: - qualitatively; | Considering the functions and the levels obtained for the different | |
| | | - economically; - risk analysis. | evaluation criteria (see 6.2.4) | |
| 8 | Presentation of proposals | 8.1 Selection of the solutions to be proposed | | |
| | | 8.2 Working out of implementation programmes | | |
| | | 8.3 Organizing comprehensive data about the proposal | | |
| | <u>.</u> | 8.4 Obtaining a decision from the decision-maker | | |
| | | 8.5 Keeping the VA team informed and either dismissing or putting it on stand-by | | |
| 9 | Implementation | 9.1 Support of the implementation: - follow -up; | The operative departments of the company are normally in charge | |
| | | possible assistance to correct deviations, or for adaptations. | of the implementation itself | |
| | | 9.2 On exceptional occasions, organization of other meetings of the VA team to tackle an unexpected problem (reactivation) | | |
| 1 | | | | continued |

Table A.1 (continued)- Value Analysis work plan

©BSI 06-2000

Page 40 EN 12973:2000

212

FA is a process which makes it successively possible to:

- identify and list;
- organize;
- characterize;
- put in a hierarchical order; and
- evaluate

tunctions.

In the following pages, the steps of the FA process are described in detail:

Step 1: Identifying and listing the functions.

The objective of the process is a complete description of the end purpose of the product.

To end up with a clear description, it is necessary systematically to take care of the formalization of each function and check that it correctly expresses the objective.

The description shall be clear and brief, with a verb specifying the nature of the action required to satisfy the need, and a noun indicating the element on which an action is exerted.

The first phase has to be absolutely exhaustive even at the risk of proliferation and redundancy in the listing of functions.

Step 2: Organizing the functions.

The objective of the second phase is to arrive at a clear, organized list of the functions to be taken into consideration and to present them in a logical arrangement. It can have the form of:

- a table (functions, criteria, constraints);
- a functional tree;
- a model; etc.

One has to be careful about being consistent in the organization of the description.

All functions, when organized and structured, shall give a complete qualitative description of the need under consideration.

For user-related functions, FA establishes the need to be satisfied, for product-related functions FA allows to provide answers to the need.

Step 3: Characterizing the functions.

The analysis, which so far has been of a qualitative nature, will during this phase be supplemented by the quantification of the expected performances of the different functions.

It makes it possible:

- to describe the performance assessment methods;
- to indicate the performance objective levels, taking into account the desires or needs of future users;
- to specify whether the service desired is absolutely necessary or whether it can be slightly varied;
- to come up with the initial information for making a study of the risks linked to the use of this product;
- to indicate as often as possible the possibility of varying the performance levels through what is called their flexibility; the latter can be expressed by:
 - classes of flexibility; or
 - exchange rates (cost/benefit ratios for instance);
- to define the acceptable range for these levels, which limits the possibility of variation;
- to provide information about possible failure, indicating how serious it is in relation to the kind of risk to which the user is exposed.

Thus, the purpose or objective to be reached is completely described.

Step 4: Setting the functions in a hierarchical order.

The setting in a hierarchical order of user-related functions consists in assigning an order of importance to them, reflecting the viewpoint of the users generally.

It shall be ensured that this hierarchical order reflects the expectations of the market and the users, and not the mere feelings of the working group.

Step 5: Evaluating the functions.

The evaluation of the functions consists in attributing to them a "weight", constituting a sort of quantification of the hierarchical order.

This phase shall not be confused with the definition of the function costs. The latter is necessary to appreciate the appropriateness of a solution and therefore the value of the product, but the idea here is different.

Putting in a hierarchical order and evaluating the functions are necessary in order to specify the expectations of the users which should be taken into account throughout the product design.

Functions organized and described in this manner will be presented in the way best suited to the use made of them later during the progress of the project. This can be considered as the function structure of the product.

Page 42 FN 12973:2000

(3) Usual FA techniques

Different methods are used for the various phases of the overall process of FA, from the listing to the evaluation of functions. We examine below the methods which are most frequently used:

a a construction and a state of the second state of the second state of the second state of the second state of

- the natural or intuitive search;
- the method of interaction with the external environment;
- FAST;
- other FA techniques such as the Structured Analysis methods (SA, SADT, SA-RT).

(a) Natural or intuitive search

This method is more appropriate when there is an existing product.

The main steps of the technique are:

- Step 1: Identification of current functions by considering existing systems, other systems which have the same end results, or alternatively the proposals that are currently available;
- Step 2: Search for anticipated functions by logical analysis of the need;
- Step 3: Critical examination of the current or envisaged functions: are these functions beneficial or necessary with regard to the project ? For secondary functions, the answer will depend on the cost incurred by their realization;

This critical examination will highlight the useless or undesirable functions that may be provided by the product:

- Step 4: Enrichment of current or envisaged functions: it may be useful for the product to perform some functions which are not yet provided by existing products or that were not envisaged at a previous stage; these functions, which may provide competitive advantage, can be found by:
 - review of the logic of utilization.

It is necessary to consider the different phases of the use of the product, thus often revealing neglected secondary needs:

examination of the cases of dissatisfaction.

Such an examination sometimes reveals secondary functions that are not being performed by the product and helps to detect those current functions where the level of performance is insufficient:

creative thinking.

Interesting ideas will perhaps be found.

(b) Method of interaction with the external environment In this method, for each significant step in the life cycle, the anticipated effects of the product and its reactions relative to its external environment are established. Each element of the external environment considered constitutes what is called an interactive agent. Sometimes the expression "determining element" of the system to be developed is used. Determining elements can be of different kinds (see Figure A.1):

- people operating the product;

1.1

- constituent elements of the external environment;
- the other systems or subsystems interfacing with the product; etc.




Figure A.1 — Determining elements, search for the functions

The successive steps of the method are:

- Step 1: Identify the different interactive agents which, as a whole, constitute the operational environment of the product;
- Step 2: Briefly describe each of them, particularly by specifying their expectations and interactions with regard to the product;
- Step 3: Consider the relationships between interactive agents via the product. Each time an action
 of the product participates in this relationship a function has to be identified;
- Step 4: Consider the determining elements in relation to each other, which reveals most of the functions. Some concern more than two elements, but these functions are normally found as soon as two elements are associated; some functions may concern only one element;
- Step 5: Consider the relationships between the product and one given interactive agent alone.
 Finally, each of these relationships will be systematically examined to identify:
 - either particular functions of the product relative to a given agent;
 - or particular actions on the product by a given interactive agent to which the product will have to respond.

NOTE 1: The FA approach allows one to identify both the functions and the constraints that the system which is to be developed will have to meet.

NOTE 2:In practice, intuitive research is the first choice. With little effort, most of the functions are found and organized almost naturally. Besides, it is quite difficult to tackle a complex system directly using determining elements. But after using the intuitive method, it is indispensable to complete the functional analysis using determining elements: this leads to the alteration of a few function formulations and generally some functions or complementary constraints appear.

Page 44 EN 12973:2000

prough, 15 October 2003, Uncontrolled Co

J

1111

Lice: sed Copy: Ibocvnz Ibocvnz, University of Loug'

(c) The FAST diagram

FAST (Function Analysis System Technique) was designed by Charles W. BYTHEWAY in 1963.

FAST, sometimes called a logical functional diagram, is a presentation of the user-related functions and product-related functions of a solution for a product (whether existing or in the process of being developed).

The power in the FAST approach, perhaps more than the diagram itself, lies largely in the mastery of the subject that is attained by the members of the working group. At the same time, the doubts, remarks, questions that accompany the construction of the diagram favour creative thinking.

A FAST diagram (see Figure A.2) is limited by two vertical lines that delimit the scope of the problem, and on the left of the left line is to be found the "higher level" function, which is in fact the general need.

One moves in the diagram from one function to another:

- from left to right by asking the question: HOW ?
- from right to left by asking the question: WHY ?
- in addition, functions that happen at the same time as another function or that happen all the time may be placed vertically.

Functions identified by intuitive and logical thinking are placed to constitute an outline of a diagram that is modified until satisfactory relationships, and a sequence that correctly represents the operation of the product, are obtained. Gaps in the train of logic suggest that functions have been forgotten and need to be found.

In many cases, the study starts from existing products, but FAST is also very easily used for the development of totally new products.

Having defined the general framework within which the scope of the product lies, and the user-related functions having been chosen, the FAST diagram will appear as the general design takes shape.

There will be several diagrams if several design options are considered; just as for existing products there are as many FAST diagrams as there are different solutions.

NOTE: Above, only one presentation of the FAST diagram has been considered, which is now called the Technical FAST. Another and more recent presentation is the Commercial FAST (or Customer FAST). It is a function tree. Inside the part which concerns the scope of the problem, the main service functions appear in the upper left part of it (one under the other and in principle independent of each other). Those, on their right, are translated into product-related functions that are logically linked, as we have seen previously.

Again in the left part of the diagram, under the main service functions, other service functions are introduced, grouped into logical families, for example:

- to ensure convenient use (easy installation, user information, easily repairable, etc.);
- to ensure availability (reliable delivery, resistance to injury from an external cause, etc.);
- to satisfy the user (integration into the environment, generation of minimum noise, etc.)

Page 45 EN 12973:2000




Figure A.2 — Function Analysis System Technique: FAST-Diagram

. . . .

NOTE: FAST is a tool which was developed in the United States and the names they usually give to the functions in the diagram have been adopted, although they are not consistent with the definitions of EN 1325-1.

(c) BSI

rough, 15 October 2003, Uncontrolled Cc

]]

]]

Ŋ

自動引

EL.J

Licensed Copy: Ibocvnz Ibocvnz, University of Lough

Page 46 EN 12973:2000

(d) Other FA methods

While preceding methods have been developed in the framework of VM, the methods that will now only be mentioned have been conceived in another context, often for specific needs.

They generally apply later in development (devising solution architectures, etc.) and are implemented especially if the product contains function flows that are to be processed (energy flow, information flow, etc.).

The initial method, commonly called SA (Structured Analysis) applies essentially to the description of the logical functioning of industrial products with few physical movements inside them.

The method rests on the following principles:

- to analyse and understand a system, it is necessary to build a model that allows the most relevant questions to be asked;
- the analysis of the product (i.e. the construction of the model) is managed in a downward, hierarchical, modular and structured way.

SA provides elements to model the functions and data of the system. The model provided by SA is based on the graphic method to facilitate communication.

Application to products with many physical movements gave rise to better performance tools in order to. take account of the notion of time in the progress of the processes or decision making.

Examples for such tools are:

 SADT (Structured Analysis Design Technique), a trade mark of Softech USA, that allows a future or existing product to be described in the form of a model;

SADT manages the transformations brought about by a process. The models are functional and conceived as a combination of functions transforming "input" elements of each function into "output" elements. The latter can constitute input elements of another function;

- the tools IDEF 0, IDEF 1, IDEF 2, SA-RT, etc. offer similar possibilities and have not been copyrighted. They are characterized by the fact that they use specific semantic and symbolic approaches.

Their implementation can be aided by computer softwares.

(4) The organization of the different Functional Analyses

FA may be developed progressively throughout a lengthy study. At each stage care should be taken to incorporate any changes or developments since the previous stage.

(5) Conclusion

To apply Functional Analysis means, with regard to user-related functions, the acquisition of a really representative knowledge of the objective.

The discipline has been enriched over the course of time and methods have emerged to widen the scope of applications and to facilitate implementation.

We thus have today a range of techniques that allows us to apply a functional approach during a whole project (see Figure A.3), from the inception of the need identified and its formalization, to the studies of the way the system operates. This helps the development of the overall concept considered, then its detailed design, or the building and then the checking of its relevance through dependability studies.

vrough, 15 October 2003, Uncontrolled Cc

BSI




Figure A.3 - FA and project development

A.1.3 Function Cost (FC)

A.1.3.1 Presentation

Costs calculated by conventional procedures are usually expressed on an elemental basis. Reallocating costs to the functions of a product provides new insights to the way we consider that product.

A function cost is the total of the expenditure (use of resources) predicted or incurred in providing a function in a product. The sum of the costs of providing all the different functions equals the total cost of the product. Determining function costs is part of the FA process.

NOTE: This section only refers to initial costs. Whereas the life cycle cost of the whole of a product is often to be considered, those of isolated functions can rarely be significant and are not usually considered.

©BSI 06-2000

SB

0

vrough, 15 October 2003, Uncontrolled Co

Licensed Copy: Ibocvnz Ibocvnz, University of Loug

ij

Page 48 EN 12973:2000

A.1.3.2 Detailed description

(1) Characteristics

Before design or development and realization of a product is completed, function costs are targets or estimates. After development, function costs are the costs which have been effectively incurred.

Function costs cannot be precise and unquestionable. When URF costs are targets or limits, they are based on marketing considerations and the technical feasibility.

When URF (user-related function) or PRF (product-related function) costs are considered for an existing product, industrial engineering data and estimates are used, but these are usually available for parts or sub-assemblies only, not for furictions.

(2) Implementation

To calculate or evaluate function costs, two methods are generally used according to whether it is possible:

- when starting with a given solution, to add (or delete) one specific function; the cost difference gives an estimate of that function cost;
- or, to roughly distribute the cost of parts or sub-assemblies between the functions they perform, or between the functions whose performance they contribute to; adding the cost contribution of each part or sub-assembly gives an estimate of the cost of each function. A function cost matrix used to make these calculations is shown below (see table A.3). Such a task can only be accomplished by an experienced working group.

| Functions | F | 1 | F | 2 | F | 3 | Costs of co | mponents |
|--------------------|-----|---|-----|---|-----|---|-----------------|----------|
| Components | \$ | % | \$· | % | \$ | % | \$ | % |
| Component 1 | а | | | | Ь | | a+b | |
| Component 2 | | | с | | d | | c+d | |
| Component 3 | е | | f | | | | e+f | |
| Costs of functions | a+e | | c+f | | b+d | | a+b+c+ d+e+f | |

Table A.3 — Function Cost Matrix

'(3) Uses

We can investigate both user-related function costs and product-related function costs. Both are important to consider, because:

- it means that the organization has the necessary expertise to compare equivalent parts or sub-assemblies of different solutions which perform the same or equivalent function or set of functions;
- it makes it possible for the VM team to concentrate preferably on the higher cost functions as these usually offer the best potential for improvement.

BSI

റ്റ

It is essential to consider user-related function costs because:

- it makes it possible to examine whether these costs correspond to the importance of the functions for the user;
- it is the main means of dialogue between the marketing people and the development team, for instance when the level of performance of a function is questioned, or when the addition or deletion of a secondary function is envisaged;
- it is an indispensable element for management for trade-offs and decisions.

A.1.4 The Functional Performance Specification (FPS)

A.1.4.1 Presentation

A Functional Performance Specification is a document by which an enquirer expresses their needs (or those they are responsible for expressing) in terms of user-related functions and constraints. For each of these, evaluation criteria are defined together with their levels, with a certain degree of flexibility being assigned to each one.

The expression of these user's needs in the FPS is made in functional terms, without reference to the technical solutions that may satisfy them, and with a minimum of constraints.

This allows the enquirer to obtain from the designer, manufacturer or supplier the design, the realization or the proposal for the most efficient product, that will be the most advantageous for the user.

To achieve this it is necessary that every opportunity should be explored and that the terms of the Functional Performance Specification should stimulate the designer, manufacturer or supplier to optimize the product or to find the best proposal. This implies that the possible flexibilities should be indicated. It encourages constructive dialogue between a client and a supplier or contractor.

The FPS encourages the examination and the comparison of different proposals on a functional basis, the framework of which is given by the FPS and used in the supplier's response.

A.1.4.2 Detailed description

(1) Constituent elements of a FPS

(a) General presentation of the problem

The general concept of the product is presented to the designer, manufacturer or supplier to allow rapid and clear understanding of the problem and to allow the main needs to be satisfied (this is a summary of the functional expression of need; see A.1.2.2).

Indications on the market (existing products, market importance, commercial life forecast) are given to complement the information and motivate the designer, manufacturer or supplier. The context of the project and objectives have to be specified: whether the project is part of a larger programme, already undertaken or under way, whether there will be further developments, etc.

Finally, the environment and its constraints will be specified (persons and social context, other equipment, etc.).

Page 50 EN 12973:2000

(b) Functional expression of need

The functional expression of need is the result of a thorough functional analysis and constitutes the main part of the FPS.

It specifies:

ł

m

prough, 15 October 200

Licensed Copy: Ibocvnz Ibocvnz, University of Loug'

- user-related functions and constraints (the latter, which limit the freedom of the designer, manufacturer or supplier, will be reduced as much as possible);
- corresponding appreciation criteria;
- the level of these criteria, indicating:
 - those which are imperative (with a certain tolerance);
 - those which are desired but open to negotiation, subject to limits of acceptance and flexibilities (either qualitative ones and several classes of greater or lesser flexibility can be used, or guantitative ones, and "cost/level of criteria" trade-off ratios will then be set).

The functional expression of need will preferably be presented in a summarized and concise form. The use of charts, graphs, diagrams or trees which present what is called the function structure, accompanied by comments, is generally preferable.

A reference price or a cost is often introduced, globally or for some functions, and the trade-off ratios can apply to the levels of criteria and to the function costs given as a reference.

(c) Call for variants

The call for variants of the FPS concerns variants of the functional expression of need that the designer, manufacturer or supplier can propose as compared to the one the enquirer has set in the FPS.

It shall be clear that, systematically, the enquirer will attentively examine the suggestions that the designer, manufacturer or supplier can make, considering that an indication of the general problem to solve has been given to the enquirer.

These suggestions will be totally unrestricted, but in addition the enquirer can indicate particular directions in which the enquirer wishes to receive proposals from the designer, manufacturer or supplier.

The call for variants stimulates innovation and allows exploration of both ambitious and realistic solutions.

(d) Framework of answers

In the case of multiple offers and so as to facilitate their examination, it is imperative to set a framework of answers for designers, manufacturers or suppliers. This is to enable each proposal to be compared like for like. This framework of answers, which is part of the FPS, only considers aspects directly linked to the product, e.g. operation, unit price, realization.

The same functional presentation used by the enquirer to describe needs has to be used as well by the designer, manufacturer or supplier to present his proposal.

The answer framework explains and describes the proposed solutions and comprises at least an evaluation table in which the designer, manufacturer or supplier indicates, for each function and for the whole product, among other things:

- the nature of the proposed solution (with economic and technical justifications of the choices that have been made);
- the levels reached for each of the appreciation criteria (and the proposed methods for their examination);
- the part of the price corresponding to each function, if possible;
- the arrangements made to meet constraints, to what level it is performed, and the costs which have been incurred;
- the related costs which are to be expected, such as user training, operation, maintenance, etc.;
- the predicted level of reliability (assuming it was not specified in the appreciation criteria); etc.

(2) The elaboration of a FPS

(a) The participants individually, and the working group as a whole Participants in drafting a FPS are:

- the enquirer; the enquirer may be an organization asking for a product from a supplier, in which case the enquirer has a representative who may be the decision-maker of a VM project; the enquirer may be a manager in the organization who requests some product from another department in the organization; in both cases the enquirer defines the question which is to be considered, sets some objectives (prices, time limits, etc.), the outline of the general presentation of the problem, and chooses a team leader for the working group which will be set up;
- the team leader, who selects the members of his working group, coordinates their action, distributes the tasks to be performed and undertakes some of these tasks, and leads the group in its principal job which is functional analysis;
- the working group whose members are selected for their complementary skills and competence in defining the need and in knowing the application of the product that shall meet that need; the members are also competent in the areas of supply distribution, maintenance, and storage; the same principles that govern the setting up of the working group for a VA study apply here;
- possibly the designer, manufacturer or supplier, especially if they belong to the same organization as the enquirer, either occasionally or throughout the drafting of the FPS; but even when the designer, manufacturer or supplier is an external supplier, one of the possible suppliers can be called in as an expert, especially when the technical aspects lie outside the field of the working group; when inviting a potential supplier to contribute to the drafting of an FPS, particular precautions concerning confidentiality or industrial property have to be taken.

(b) Work plan (see table A.4).

(c) The evolution of a FPS over the course of time

The characteristics and the degree of precision of a FPS vary according to the current phase of the product creation, when it is a complex one, or to the phase of study of the system into which the product to be obtained will be integrated.

rrough, 15 October 2003, Uncontrolled Cc ļ icensed Copy: Ibocvnz Ibocvnz, University of I.oug.

ļ

のうべいというでいろうでいうのであることのうないできょうないのであるのです。

BSI

Page 37 EN 12973:2000

Table A.1 (concluded) — Value Analysis work plan

| Basic Phases | Elementary Steps | Comments on the elementary steps | The tools used * specific VM tools |
|--------------|---|---|---------------------------------------|
| | 9.3 Assessing the actual results of the implementation, comparing them with the prospective results | Or participation in the establishment of this assessment (prospective results were evaluated in elementary steps 0.3 and 7.3) | |
| | 9.4 Disseminating the assessment of the actual results and the technical and general information: | | (. |
| | to the VA team members; | | |
| | - to the experts concerned; | | |
| | - more widely in the organization. | Particularly for motivation purposes | |
| | 9.5 Perhaps establishment of a system to collect information about field experience | | |

4

Page 38 EN 12973:2000

| Phase | Phase | Decision | Team leader or | Working | Operational |
|------------------------------|-------|----------|----------------------|------------|-------------|
| Name | Nr. | maker | VA project leader | group | departments |
| Preliminary Phase | 0 | • | | | X |
| Project Definition | 1 | • | × | | X |
| Planning | 2 | | • | | |
| Gathering data | 3 | | • | Х | x |
| Functional Analysis | 4 | | • | • | x |
| Gathering Ideas | 5 | | • | • | х |
| Evaluation of solutions | 6 | | x | ., X ., | • |
| Development of proposals | 7 | | • | ٠ | x . |
| Presentation of proposals | 8 | ٠ | • | • | x |
| mplementation | 9 | • | X | | ٠ |

Table A.2 — Responsibility (•) and participation (X) during the phases of the VA work plan 1)

A.1.2 Functional Analysis (FA)

A.1.2.1 Presentation

Following EN 1325-1, a function expresses the effect of a product or of one of its constituents and is accompanied by performance indications (levels and flexibilities). This simple concept provides Functional Analysis with an important added value.

FA involves identifying functions, validating them with the help of clear logical elements and characterizing them. This approach enhances communication to obtain a common understanding between the team members as to the project fundamentals.

FA is used:

- to identify the functions of a product, a system or an organization;
- to quantify the performances to be reached;
- to act as a means of improved communication between those involved in the definition, the design and the development of the product.

FA requires those involved in the study to abstract themselves from solutions and to think in terms of objectives and end results. Viewing the problem in the abstract removes constraints and encourages creativity.

Describing the product's functions facilitates a common language and enables thorough comparison between needs and products.

The term user shall not be limited to the end user alone, even if the latter is often the principal user of the product. We shall identify and consider as users all those who, for each of the phases of the product's life cycle, have particular requirements or expectations with regard to the product.

rough, 15 October 2003, Uncontrolled Co,

BSI <u></u> FA is a process that results in a comprehensive description of the functions and their relationships, which may be systematically characterized, classified and evaluated. The function Model is the result of Functional Analysis (see EN 1325-1). It may be represented by diagrams which provide a common understanding by the working group of the functional performance.

A.1.2.2 Detailed description

(1) Functions

rough, 15 October 2003, Uncontrolled Cor

icensed Copy: Ibocvnz Ibocvnz, University of Lough

Į

The end purposes, i.e. the functions, of the VM subject are considered instead of the solutions that are usually chosen or that may be envisaged to be generated.

FA is the principal VM tool to investigate the VM subject's functions, to structure and characterize them and to set cost objectives for them.

It should be recalled that there are two types of functions:

- User-Related Function (URF) (or "service function" or "external function") that describes what the
 product does or has to do to satisfy the needs and desires of the users during its whole life cycle:
 the WHAT FOR ?
- Product-Related Function (PRF) (or "technical function" or "internal function") that describes the internal actions of the product to work out the answers to the need, these answers being URFs or service functions.

The PRFs can be the formalization of the principles or physical phenomena used and of the solution structure which is being considered or developed. They also allow an analysis of the way the product operates, in order to improve the understanding of the solution or to allow the performance of the product to be fully tested and verified. It is the formalization of the HOW ?

Let us first consider URFs which are effects of the product on the user or on elements that surround him, these functions being aimed at satisfying the user's needs.

Within this type of function, and considering the functions actually performed by an existing product, some may result from slightly imprecise appreciation of the need, or of an unexpected and adverse effect of the product which has actually been generated. These functions may be called, respectively, unnecessary functions and undesirable functions.

The PRF's are a completely different type of function and play no direct part in satisfying the user's need, but they are present to ensure that the product works and finally performs the URF's. These PRF's, which the user is usually unaware of, are actions of the components of the product. These components can either work independently (i.e. an electronic component will store information) or in conjunction with other components (on a car, the shaft transmits torque from the gearbox to the wheel).

(2) General description of the FA process

To implement FA implies working through a multidisciplinary team. All the professionals within the organization concerned directly or indirectly with the product at each stage of its life cycle will be called upon to participate.

FA is normally implemented by a working group selected for its necessary skills and experience in finding the functions and formalizing the result of the Functional Analysis.

This way of thinking and of formulating things in terms of functions focuses on need and is a powerful means of inducing order and clarification. It is essential to the control of complex systems and it brings about synergy. It supports quality and improves the dialogue within the VM team as well as between client and supplier.

©BSI 06-2000

Page 52 EN 12973:2000

The FPS may evolve during the progress of a complex project before a technical specification is reached.

Alternatively, for a simple product, a FPS will be relatively easily and quickly achieved, and its definitive form will be reached very rapidly.

The different uses of the FPS and the particular forms it can take are considered in more detail below in (3) (a).

(3) The use of the FPS

This paragraph particularly illustrates the implementation of the FPS in the case of the study of products of average complexity.

(a) The evolution of the FPS and the progress of a project

The enquirer writes a first version of the FPS, sometimes called an FPS 0, that will be transmitted to potential suppliers to ascertain their position and obtain their response in terms of feasibility. This version, comprising the maximum of flexibilities, will be amended to take into account their remarks and suggestions.

A stabilized version is thus achieved that will be the basis for consultation or a call for tenders.

The different competitors will take advantage of the remaining flexibilities to prepare the proposal that seems to them the most satisfactory. These proposals, written according to the answer framework-included in the FPS, will be objectively compared.

The last options having been specified, it may become necessary, before issuing the order for the supply of the product, to establish a technical specification.

(b) The FPS of the feasibility study, the FPS for obtaining price proposals According to the state of advancement of the project, FPSs can be written with very variable degrees of precision.

At the start of a project, a very general FPS may be written to ascertain the feasibility of a project and whether it is economically justifiable.

This document will then become more complete and precise in order to constitute the basis of a pre-project, then a development project and a supply proposition.

(c) The response to a FPS Here only the case of the external use of an FPS will be considered.

The designer, manufacturer or supplier shall first effectively take into account the whole of the need axpressed in the FPS before working on the development of an answer.

The degree of precision of that answer shall be coherent with that of the FPS sent to obtain supplier proposals, in order to avoid expenditure on unnecessary study.

This answer should in principle insist on the functions and the levels of performance the product is capable of, not stressing, as is usually the case, the technical description of the proposal only.

The designer, manufacturer or supplier shall also consider the FPS as a dialogue tool. By taking advantage of the flexibilities and of the call for variants, the FPS makes it possible to constitute real power of proposal and participation for the benefit of the enquirer.

(d) Kinds of uses of the FPS

Two main kinds of uses of the FPS should essentially be distinguished:

- internal use in the progress of a project;
- external use between different organizations.

Internal use of the FPS

For many projects, the functional description of the product that is to be developed, made during the VA study, is sufficient.

Nevertheless, if the importance of the project justifies it, or if the staff of the enterprise that have to express the need on the one hand, or to develop the solution proposal on the other, cannot together easily constitute one working group, it may be necessary to work out an FPS. In that case, a team will be put in charge of writing it. That team will be composed of people having the necessary competence to formalize the need.

In the subsequent uses of the FPS, the two groups can continue to exist and play their respective part in the dialogue that is established between the enquirer and the designer, manufacturer or supplier in order to develop the solution which is the best compromise.

External use of the FPS

Two cases are met:

- either the FPS is established as the essential element for the design and development process of a complete system by a specialized supplier;
- or, in the framework of the development of a complete product, an organization can write a FPS to consult suppliers in order to obtain a subassembly or an important component.

というというためになっていたのとう

Page 54 EN 12973:2000

| Basic Phases | Elementary Steps | Comments on the elementary steps | The tools used * specific VM tools |
|---|---|---|--|
| 1 Definition of the product needed | 1.1 Definition of the product | | |
| | 1.2 Principal objectives | Price, time limit for the elaboration of the FPS, for the answer to the FPS | |
| | 1.3 Context of the project | | * Definition of the requirements for a team leader |
| | 1.4 Choice of a team leader, of a decision- maker if suitable | | |
| 2 Collecting the | 2.1 The market: | بې. بې | |
| information | existing products; | | |
| | - market importance; | | |
| | - commercial life prospect. | | |
| | 2.2 Context of the project | Possible situation in a larger programme | |
| | 2.3 Already carried out or studies under way | | |
| | 2.4 Miscellaneous | Standards. Patents. further developments | |
| 3 Functional analysis | 3.1 Identification of user- related functions | For the different phases of the life cycle of the product | Functional analysis techniques |
| | 3.2 Structuring and arranging in a hierarchical order of service functions | | Presentation of functions (diagrams, functions trees, commercial FAST) |
| | 3.3 Identification of indispensable constraints | | |
| | 3.4 Characterization of service functions and constraints | | 4 |
| | 3.5 Function costs objectives | | |
| Carrying out the other elements of the FPS | | | |
| Writing and validation of the FPS | Writing of informative appendices, too, if suitable | | |
| Presentation and agreement of the FPS | | | • |

Table A.4 — Functional Performance Specification work plan

the second

.])

©BSI 06-2000

é

A.1.5 Design to Cost (DTC)/Design to Objectives (DTO)

A.1.5.1 Presentation

Design to Cost is an anticipative management method which, from the start of the development programme of a product or system, takes the production costs into account. It does so until the end of development, when industrial costs consistent with the goals that were aimed at are obtained.

The anticipated production cost is considered as a performance that shall be attained, as well as the technical performances, which can even be reduced if necessary. During development, a balance between cost, performance and schedule will be a permanent and continuously assessed concern.

DTC makes it indispensable to have a management procedure which is supported by a continuous exchange of information and coordinates actions between customer and contractor, or contractor and subcontractors. From the start of the programme onwards, it requires organization, procedure trade-off rules, and cost estimating tools.

DTC requires a plan that describes all the tasks, from the beginning to the end of the programme.

Design to Cost (DTC) evolves into Design to Objectives (DTO) when objectives other than costs are considered.

NOTE 1:DTC monitors the trade-offs between cost, performance and schedule, these being attained through the best available tools. This leads to emphasizing the importance of Value Analysis for a DTC management of a project, although VA and DTC are distinct methods. DTC does not imply that VA should compulsorily be used.

NOTE 2:On the contrary, Functional Analysis is one of the steps of the DTC process. This highlights the relationships between VM methods and tools.

A.1.5.2 Detailed description

(1) The start of DTC

DTC was created in the United States by the Department of Defence (DoD). It had observed that major armament programmes were continuously overspending and this had to be halted.

Studying the reasons showed that there were insufficient specifications, together with the fact that industrial companies were inclined to make improvements, whilst military clients were continuously more demanding.

Since 1971, the DoD has made DTC compulsory on all contracts for the army in excess of 10 million dollars.

For DoD programmes, DTC has 4 phases:

- a) programme initiation:
 - 1) mission feasibility and concept formulation;
 - 2) concept exploration;
- b) demonstration and validation;
- c) full-scale development;
- d) production and deployment.

Each of these phases depends on the decision of the Secretary of Defence and each of them is covered by an adequate contract.

Page 56 EN 12973:2000

(2) The development of DTC and current practices

In the USA different uses of DTC have emerged for industrial contracts just as they have in other countries. They are considered below.

When a development programme is received by a contractor from an important client where DTC is compulsory, the DTC objectives or targets have already been set by the client:

- where the contractor is the sole source for a product or system, strong incentives are included in the contract to meet DTC objectives, given that the development contractor is certain of being the production contractor;
- where competitors exist, if the contractor for the first phase fails to meet DTC objectives, the client
 has the option to place the remaining phases of the contract with a competitor; to win the next
 phase of the contract provides a strong motivation for the contractor and the incentive may be less.

NOTE 1:In a competitive situation, there are successively several development contracts, one for each phase; DTC goals are set for each of these contracts.

NOTE 2:In a sole-source situation, there may be only one contract; in any case, provisional DTC objectives are fixed first. Later, as information becomes available, these become definitive objectives which are set at the latest at the beginning of phase 3, full- scale development; moreover, "thresholds" are established which, if crossed, lead to the project being terminated or reconsidered.

NOTE 3: The client may establish a DTC contract with his supplier (or prime contractor), and have his prime contractor establish his DTC contracts with the main sub-contractors.

NOTE 4: Instead of taking into account the trade-off rules mentioned above, the exchange of information and trade-off decisions can be more precise when carried out in reference to a Functional Performance Specification (either a system FPS, where a client and prime contractor are concerned, or sub-system FPSs where a prime contractor and sub-contractors are concerned).

A development programme may be obtained by a contractor from an important client without DTC obligation. In this case, the contractor may independently organize DTC development both for the work carried out in-house and that carried out by partners or sub-contractors.

An organization may, on its own initiative, decide to develop a product or system for the market, most of the work being carried out inside the company; that organization may organize DTC management of the programme.

(3) Fundamental elements of DTC

The fundamental elements of DTC are as follows:

(a) Evaluating the programme's basic factors

the programme's basic factors are evaluated, among which are the objective costs which include the production cost. This is specified for the production rate and total quantity defined in the programme.

(b) Functional analysis See A.1.2.

(c) Study of solutions

Study of solutions based on a cost-performance optimization, the constraints of the programme being taken into account (use of Value Engineering).

(d) Monitoring objective costs

Continuously monitored objective costs, to be expressed in inflation-adjusted currency units.

(e) Splitting-up into sub-assemblies and tasks

Splitting-up of the work to be done into sub-assemblies and tasks.

(f) Splitting-up of the objective cost

Splitting-up of the objective cost in accordance with the number of sub-assemblies and tasks.

(g) Technical and economic reviews

Technical and economic reviews (to be made systematic during and at the end of the programme phases).

(h) Economic and technical risks Economic and technical risks are to be taken into account.

(i) Organizing production

Organizing production in order to control expenses and to stay within the cost objective, using VA.

The DTC Manager and a Programme Manager are responsible for all those fundamental elements, as well as for the corrective actions.

(4) About cost estimates

There are 4 classes of cost estimates, their use depending on the programme phase concerned:

- a) expert opinion;
- b) analogy approach;
- c) parametric estimating;
- d) detailed estimates (industrial engineering).

In each case, the degree of confidence in the estimates shall be justified. The estimates shall be made using appropriate tools, including data bases.

(5) DTC work plan

The usual work plan is detailed in table A.5.

(6) From DTC to DTLCC and DTO

When DTC was introduced, there was not usually sufficient information about the expenses incurred by a product or system during its life cycle.

When this information became available and the requirements of the users of important systems became more demanding, life cycle cost was added to cost as another parameter against which the functions or their performances were to be traded-off.

DTLCC or Design to Life Cycle Cost supplemented DTC for many development programmes.

Page 58 EN 12973:2000

Nowadays, as has been previously explained, the trade-off of functions or of their performances has often to be made against other factors such as resources, time or delivery, weight, energy consumption, etc. Management has to determine the factors that are relevant in the prevailing circumstances, and to the objectives that are to be met. DTO or Design to Objectives sometimes replaces DTC and DTLCC.

| Basic Phases | Activities | Detailed principles and tasks of the processes |
|--|--|--|
| 0 Mission feasibility and concept formulation | Technology advances | Principles for developing new technology |
| - | Mission feasibility and utility analysis | Conceptual phase decision highlights |
| | | Development phase decision highlights |
| | | Production phase decision highlights |
| 1 Concept exploration | Performance requirement analysis | Cost effectiveness analysis |
| • • | Requirement definition and | Specification practices |
| | specification | Configuration and data management |
| | | The review process |
| | Requirement allocation | Cost effectiveness analysis |
| | | Setting Design to Cost goals |
| | Operational trade-off | Managing trade-off studies |
| | Functional trade-off | Cost effectiveness studies |
| | | Managing trade-off studies |
| | Technology and risk assessment | Cost effectiveness analysis |
| | 0, | Risk Management |
| | Interface definition | Cost effectiveness analysis |
| - | | Specification practices |
| | Functional baseline development | Cost effectiveness analysis |
| | | Specification practices |
| : | | Configuration and data management |
| | System requirement review | Cost effectiveness analysis |
| | -, | Specification practices |
| | | Configuration and data management |
| | | The review process |
| | | continued |

| Table A | 1.5 | Design | to | cost | work | plan |
|---------|-----|--------|----|------|------|------|
|---------|-----|--------|----|------|------|------|

この うちん いたい たい たい ちょう うんたい ちょうかん

1

1

l

| Basic Phases | Activities | Detailed principles and tasks of the processes |
|--------------------------|---|--|
| 2 Demonstration and | Allocated baseline definition | Functional responsibilities |
| validation | | Specification practices |
| | Element specifications | Specification practices |
| | Performance, cost and schedule refinement | Technical performance measurement |
| | Interface specifications | Specification practices |
| | System integration planning | Organization for DTC |
| | | Functional responsibilities |
| | Configuration management | Specification practices |
| | definition | Configuration and data management |
| | Risk management planning | Organization for DTC |
| | Production capability assessment | Production readiness |
| | System engineering management | System engineering process |
| | plan (SEMP) | Organizing for DTC |
| | | Functional responsibilities |
| | System design review | The review process |
| | | Production readiness |
| 3 Full-scale development | SEMP implementation | System engineering process |
| | | Organizing for DTC |
| | Documentation up-date | Configuration and data management |
| | Configuration management | Specification practices |
| | | Configuration and data management |
| - | Human factors and training planning | Functional responsibilities |
| | Preliminary design review | Configuration and data management |
| | | The review process |
| 3 Full-scale development | Critical design review | Configuration and data management |
| (to follow) | | The review process |
| | Functional configuration audit | Configuration and data management |
| | | The review process |
| | Production baseline development | Specification practices |
| | | Configuration and data management |
| | | Production readiness |

Table A.5 (continued) - Design to cost work plan

continued

and the second secon

And and and

Page 60 EN 12973:2000

| Basic Phases | Activities | Detailed principles and tasks of the processes |
|------------------------------|------------------------------------|---|
| 4 Production and development | Production engineering | Manufacturing resources planning Production readiness |
| | Production readiness review | Configuration and data management The review process |
| | | Production readiness |
| | Physical configuration audit | Configuration and data management The review process Production readiness |
| | Technical data package preparation | Configuration and data management |
| | Modification management | Functional responsibilities Configuration and data management |
| | Life extension planning | Activities by contractual phase |
| | Operation and support | Cost element structures |

Table A.5 (concluded) - Design to cost work plan

A.2 Other methods and tools

It has been stated that a VM study may involve the use of many different methods, the choice of which methods to use being dictated by the subject and objectives of the study rather than the prevalent competencies within the organization.

There are numerous management methods and tools, some formal, some less so, which may be applied within a VM Programme.

The following table lists some of these and positions them in the context of VM. The examples are not exhaustive nor are they exclusive, since new methods will continue to be developed. The methods and tools are listed without any order of importance.

A STATE OF A

۰.

| Method/Tool | Main Uses in Value Management |
|--|--|
| Benchmarking | Discovering best practice and setting largets |
| Business Process Reengineering | Radically improving business processes |
| Cost-benefit Analysis | Assessing the value of unmarketed attributes |
| Cost modelling | Building cost models in order to analyse the effects of changes |
| Creativity techniques | Generating innovative ideas |
| Design for Manufacture and Assembly (DFMA) | Working out optimized realization processes and product designs |
| Evaluation methods | Selecting options |
| FMECA | Identifying modes of failure, and their consequences |
| Industrial Design | Designing products with an appealing image for the customer |
| Kaizan | Bottom up continuous improvement |
| Life Cycle Costing (LCC) | Estimating total acquisition and operating costs, usually with discounted costs |
| Market Analysis | Identifying needs for setting strategy and objectives |
| Operational Research | Cost and performance modelling |
| Pareto Analysis | Selecting the most important issues to study/act upon |
| Project Management | Managing a project and the teams involved so as to attain efficiently the objectives set |
| Quality Circles | Maintaining and improving quality |
| Quality Function Deployment | Matching customer requirements with design, production targets and know-how |
| Reliability Analysis | Discovering and eliminating failure causes |
| Risk Analysis | Identifying hazardous situations, evaluating risks incurred, finding ways to avoid them |
| Risk Management | Assessing incurred risks and containing them at an acceptable level |
| arget Costing | Setting objectives and satisfying project requirements within a budget |
| arget Setting | Setting expectations for performance |
| eambuilding | Creating and training work teams |
| eam Leadership | Inspiring a team to deliver results |
| eam Work | Managing a team so that it works efficiently |
| otal Quality Management | Meeting customer and corporate expectations |

!j

-]]

]]

Ŋ

State of the state

BS EN 12973:2000

BSI

Jrough, 15 October 2003, Uncontrolled

BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: 020 8996 9000. Fax: 020 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: 020 8996 9001. Fax: 020 8996 7001.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: 020 8996 7111. Fax: 020 8996 7048.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: 020 8996 7002. Fax: 020 8996 7001.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means - electronic, photocopying, recording or otherwise - without prior written permission from BSL.

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

If permission is granted, the terms may include royalty payments or a licensing agreement. Details and advice can be obtained from the Copyright Manager. Tel: 020 8996 7070.

Copy: Ibocvnz Ibocvnz, University of Loug BSI 389 Chiswick High Road . London

W4 4AL

Licensed

PD 6663:2000

PD 6663: Guidelines to BS EN 12973: Value management — Practical guidance to its use and intent

ICS 03.100.40

| | ۲ |
|--|---|
| | |
| A REAL PROPERTY AND A REAL | |
| | |

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

National foreword

This Published Document had been prepared by Technical Committee DS/I, Dependability and terotechnology, with input from the institute of Value Management. It amplifies and clarifies the text of BS EN 12973 for UK users, and includes brief case studies at relevant points.

This Published Document is not to be regarded as a British Standard.

Committees responsible for this Published Document

The preparation of this Published Document was entrusted to Technical Committee DS/1, Dependability and terotechnology, upon which the following bodies were represented:

Association for Project Management Association of Consulting Engineers Association of Insurance and Risk Management British Railways Board British Standards Society British Teleconumunications plc Chartered Institution of Building Services Engineers City University Civil Aviation Authority Consumer Policy Committee of BSI Cranfield University Defence Manufacturers' Association Federation of the Electronics Industry GAMBICA (BEAMA Ltd.) Institute of Logistics Institute of Quality Assurance Institute of Risk Management Institute of Value Management Institution of Chemical Engineers Institution of Electrical Engineers Institution of Mechanical Engineers Institution of Plant Engineers London Underground Ltd. Ministry of Defence Railtrack Railway Industry Association Safety and Reliability Society Society of Environmental Engineers Society of Motor Manufacturers and Traders Ltd. United Kingdom CALS Industry Council West Midlands Enterprise Board

Summary of pages

This document comprises a front cover, an inside front cover, pages 1 to 18, an inside back cover and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

Amendments issued since publication

| Amd. No. | Date | Comments |
|------------|------|----------|
| | · | |
| - <u> </u> | | |
| | | |
| | | |

.

his British Standard, having even prepared under the firection of the Sector 'ommittee, was published under 'ne authority of the Standards 'ommittee and comes into effect in 15 June 2000

3 BSI 06-2000

PD 6663:2000 Guide to the use of BS EN 12973: Value management

desired outcome.

The European Commission recognized the power of Value Management (VM) in delivering competitive advantage to its users. This led to the development of the VM standard.

This guide explains the standard.

The guide can be used at three levels

- as a quick overview using the margin notes;
- as a free standing précis of the standard;
- in conjunction with the standard.

Case studies illustrate key messages.

The background to, and purpose of, this document

The development of European Standard EN 12973 began in 1991 and involved the active cooperation of no fewer than eight European countries, each of which had different experience and standards in the use of Value Management. The European Commission recognized the power of Value Management in delivering competitive advantage to its users. They saw the diversity of practice as a barrier to its wider use. They commissioned a number of initiatives under their Innovation programme to promote its use. This effort resulted in a document that reflected best practice across all communities and economic sectors. The standard represents a consensus of views and provides a benchmark of best practice. It does not purport to be restrictive or confined to any single commercial sector. It captures the essence of Value Management and provides a framework for its application. It does not advocate the use of any particular techniques but encourages the selection of the most appropriate methods to achieve the

This guide seeks to explain and clarify the underlying messages within the standard. It may be used at three levels.

- 1. The notes in the margins allow the reader to capture the main messages within the standard.
- 2. The main text provides a stand-alone précis of the standard with simplified diagrams to aid understanding.
- 3. This document should be read in conjunction with the standard to understand it fully.

The clause numbering and figure numbering exactly correspond with the standard.

Short illustrations based upon successful case studies are included to assist understanding of some of the key messages contained within the standard.

1

PD 6663:2000

The British Standard BS EN 12973:2000 presents an outline of best practice in VM across Europe.

It is relevant to all levels of the organization.

Clause 4 outlines the benefits for the organization.

Foreword to EN 12973

The Technical Committee CEN/TC 279 comprising members from eight European nations prepared this standard.

The aim of the standard is to present an understanding of best practice in Value Management and to introduce some of the techniques which may be used.

Value Management has evolved from the concepts of Value Analysis. It is now applied to virtually all activities and sectors of the modern community.

The standard primarily addresses three groups:

 Senior Managers seeking to enhance value within their organizations and for their customers;

- people involved in its application;
- those involved in training and development.

The document progresses from an introduction outlining the benefits for management, through the underlying concepts to their application. It ends with a discussion of some of the techniques that may be useful.

> INTRODUCTION AND SCOPE Clauses 1-3

> > THE PRINCIPLES Clause 4

APPLICATION Clause 5

METHODS AND TOOLS Clause 6

Figure 1 – Simplified structure of the standard

Introduction

The concept of Value is based on the relationship between satisfying needs and expectations and the resources required to achieve them. The aim of Value Management is to reconcile all stakeholders' views and to achieve the best ratio (the value ratio) between satisfied needs and resources.

When integrated with the management of organizations, Value Management harnesses many familiar management techniques within a simple framework, to deliver effective results at all levels.

Value Management enables organizations to adopt a consistent approach towards decision making, taking into account the needs of the business, the environment within which it is operating, and the people who may be involved.

The standard lists the benefits of such an approach applicable to all sectors of our society.

Value Management is based on three root principles:

VM is based on the principles of adding measurable value, focusing on objectives and concentrating on function (the purpose of things) to enhance innovation.

The standard describes

Value as a relationship

expectations on the one

achieve them on the other.

side and resources to

VM reconciles differing

priorities to deliver best value for all stakeholders

constructively together.

VM requires people to work

between needs and

- a continuous awareness of value, and the establishment of measures to enable determining, monitoring and adding value;
- a focus on objectives and targets against which measures of improvement are assessed;

a focus on the function (the purpose of the product, system or service) as the key to innovation and achieving better value.

Case Study: A change of role for an international trade institute

A long established international trade institute used Value Management to respond to a recognition that the needs of its members had changed. A comprehensive survey of its members established their priorities for the future. These were collated into a model representing the main functions that they wished the institute to deliver. Extrapolation of this model enabled the institute to make its mission statement more relevant and redefine its services to its members. This model has been used by other agencies to review the value of their services to the public.

The standard allows the approach to be applied to different circumstances whilst retaining a rigorous approach.

The development of a VM culture is essential and will result in positive changes in attitude.

The frameworks described in the standard allow Value Management to be implemented intuitively, as an ongoing discipline as well as formally, involving set piece workshops.

The standard envisages the role of a Value Manager to champion the process within larger organizations. This role may be less well defined or shared in smaller organizations.

The development of a Value Management culture ensures its application at all levels and triggers positive changes in attitude and working practices. This results in better value and fewer wasteful practices.

PD 6663:2000

The standard establishes a benchmark for the implementation of VM and a basis for certification of organizations.

Scope

1

The purpose of BS EN 12973 is to:

- establish a common basis for practice;
- provide guidelines for those involved;
- provide a basis for training and assessing competence;
- provide a benchmark for providers of value services;
 - enable the certification of organizations;
 - improve quality of service and stimulate innovation in delivery;
 - improve communication through common terminology.

It facilitates the dissemination, understanding and effective participation in Value Management practice in an organization.

2 References to other related standards

BS EN 1325-1:1997 Value Management, Value Analysis, Functional Analysis vocabulary – Part 1: Value Analysis and Functional Analysis.

BS EN ISO 8402:1995, Quality management and quality assurance – Vocabulary (Second Edition) covers Quality Assurance.

3 Terms and definitions

3.1 Value Management (VM)

A management approach to help in maximizing the overall performance of an organization.

3.2 Value Culture

This embraces awareness and understanding of what Value represents in an organization and implies an understanding of the structures and methods used to enable Value Management to flourish.

3.3 Value Management Programme

A structured plan that enables the development, implementation and sustenance of an organization's Value Management Policy.

VM is a management approach to help maximize the overall performance of an organization.

Value Management Study 3.4

The application of Value Management to a specific topic involving the use of one or more methods.

3.5 Value Manager

The person who is responsible for a Value Management programme. (The Value Manager may also lead a Value Management Study).

NOTE 1 BS EN 1325-1:1997 allows the use of the term Value Engineering as synonymous with Value Analysis - the term used widely in Europe and throughout the standard. Since Value Engineering is used commonly in UK we have combined the terms throughout this guide and use the term Value Engineering/Analysis (VE/A). (See 6.2.1 for a description of VE/A.) Likewise the standard uses the term Functional Analysis in place of Function Analysis (FA), which is in common usage in UK and elsewhere. (See 6.2.2 for a description of FA.) This document uses the latter term.

BS EN 1325-1:1997 states that a Product can include services, NOTE 2 hardware, processed materials, software or any combination thereof. Throughout this document the term 'Product, System or Service' is used to make it clear that Value Management applies to any of these.

NOTE 3 In this document, the term Stakeholder is used to describe any person or organization with a genuine interest in the Product, System or Service which forms the subject of a Value Management Study.

The Principles of Value Management 4

Relevance to senior management

Through its focus on outcomes, Value Management integrates corporate efforts to obtain optimum value, taking into account the interests of the organization, customers and stakeholders. It helps define and validate corporate objectives and translates them into effective operational responses.

Individual managers' responsibilities vary. Value Management provides a common focus throughout the organization from the perspective of value.

Key principles 4.1

Value Management is distinct from most other management systems in that it combines four key principles:

- a management style based on value; _
- positive human dynamics;
- consideration of the organizational environment;
- effective use of methods and tools.

All stakeholders will benefit from increased competitive advantage brought about from added value to their products or services.

VM is a unique combination of four key principles.

| Case Study: Balancing the needs of multiple stakeholders in a large project A project definition study for a £2bn infrastructure project involved over 50 people representing almost as many stakeholders in a 2-day facilitated workshop. Individuals worked in cross-functional teams to develop consensus proposals. These formed the basis of a revised brief to provide an affordable balance between the needs of the sponsors, operators, users and public that had previously been absent. | | | | |
|---|--|--|--|--|
| The approach focuses on achieving objectives rather than treating the symptoms. It encourages innovation. It is customer focused. It has a robust evaluation process. | Management style There are five main attributes to the Value Management way of working: a focus on the customer's requirements; an emphasis on expected performance, rather than operational solutions; pursuit of innovation and creativity; a robust evaluation process based on quantitative measures; encouragement for people to work together to solve problems (team work). | | | |
| <i>It encourages people to work together in a pro- active manner.</i> | Positive human dynamics Value Management encourages positive human behaviour: positive and pro-active teamwork; recognition of individual contributions and team results; challenge of the status quo to bring about beneficial change; communication through shared understanding and group decision based on support seeking consensus; ownership of proposals by those responsible for implementing them. | | | |
| Case Study: Transforming the way people work A local authority needed to improve the efficiency of its service delivery to compete with private sector providers. Value management studies, involving managers and workers, enabled them to transform the way they worked whilst retaining the goodwill of the operatives. | | | | |
| External and internal operational factors have to be addressed. | Consideration of the organizational environment Consideration should take account of the following items: – pre-existing conditions external to the organization over which managers may have little or no influence; | | | |

 the influence that managers may have on external or internal conditions that may impact on the Study.

The external or internal conditions will dictate the limits of potential outcomes and should be quantified. These conditions may represent opportunities or constraints.

Effective use of methods and tools

The standard provides a holistic framework (see **5.2**) for the use of proven tools and techniques consistent with achieving the organization's goals.

VM provides a holistic

framework to achieve

organizational benefits.

It encourages the selection of the most appropriate techniques for achieving results.

VM requires the setting of clear measurable unambiguous and ambitious targets.

The framework ensures the targets align with an organization's values and goals.

Entrenched attitudes will need to change to realize the full benefits.

Success requires senior management support and a robust implementation programme.

 $Value \propto \frac{Benefits}{Investment}$

The standard also includes a chart (see Figure 8) to help select the most appropriate techniques to apply in studies.

4.2 Value objectives

Value Management requires the setting of clear unambiguous and ambitious targets in value terms. These should be measurable and consistent with the organization's values and goals.

The nature of the objectives may vary depending upon whether the study is strategic or tactical.

4.3 Requirements

Successful Value Management requires a robust framework.

4.3.1 Framework

To ensure that all Value Management activities are consistent with an organization's policies and to encourage a consistent value culture, the organization should adopt a simple framework. This is explained in more detail in **5.2**.

4.3.2 Attitudes

Value Management calls for every person in the organization to become engaged by and committed to better value. This may require a significant change of attitude on the part of everyone, particularly senior management.

The implementation of Value Management will itself assist this change in culture.

Senior management needs awareness of the benefits to promote the approach. Certain key people will require a detailed understanding and the skills to apply the techniques. All participants will perform better if they are aware of how to participate effectively in the programme or individual studies.

4.4 The concept of Value

Value may be described as the relationship between satisfying a need and the resources consumed in doing so.

Value $\propto \frac{\text{Satisfaction of needs}}{\text{Use of resources}}$

This is shown in Figure 2 in the standard.

The better the needs are satisfied and/or the fewer resources used, the greater is the value.

7

Value is a measure of trade-offs and varies for each individual.

Improvements in Value need to be, and can be, measured. Value is not an absolute measure; it is a trade off between conflicting parameters, which may vary for each individual or organization.

In order to show "real" improvement value needs to be measurable. Comparing the ratio between "Satisfaction of Needs" and "Use of Resources" does this. Any increase in the ratio (referred to as the Value Ratio in this guide) represents an increase in value (see Figure 3 in the standard).

Case Study A: The cheapest system is not necessarily the best value

A product designer initially rejected a variable focus video inspection system on the grounds of higher capital cost than a fixed focus system. Subsequent analysis demonstrated that adding the necessary functionality to satisfy the needs of the operator added over 25 % to the total system cost, more than wiping out the apparent savings.

Case Study B: The value of time

A manufacturer of customized machinery was losing market share. The company was unable to respond quickly to enquiries because each had to be designed to match the buyer's specific requirements. Value Management of the way in which it prepared quotations enabled it to reduce response time from weeks to days – or in some cases – hours.

VM distinguishes between needs and wants.

Functional description of needs enables their measurement.

Functional description of needs stimulates innovation.

4.4.2 Need

Some needs are mandatory or basic requirements to enable something to work. Others are additional desires whose satisfaction enhances the product or service in the customer's eyes and therefore helps to differentiate it from competitive offerings. These are often called wants.

Needs may be stated, implied or latent and may change during the course of a Value Study. They should be quantified in objective terms. These can be monetary or relate to measures defined by the stakeholders.

4.4.3 Functions

Needs are expressed in terms of functional requirements. Functions are expressed by the use of an active verb and a measurable noun. For example the function of these guidelines might be to "Facilitate comprehension (of the standard)".

Performance is measured through characteristics expressed in terms of criteria, levels and degrees of freedom.

Expression of needs by way of functions that do not preclude any particular solution enables easier generation of alternatives and fosters innovation.

Case Study: Identifying the true function of a department reduces space needs

Analysis demonstrated that, functionally, each department in a public utility operated identically. Management therefore reorganized the building by function and installed a single, high quality, support space to accommodate the common functions. The reduced space requirement obviated the need for a separate rented building nearby.

Resources include broader measures than initial cost.

4.4.4 Resources

Resources comprise everything that is required to satisfy the need, for example:

- whole life cost;
- time;
- materials;
- people;
- intellectual property.

Resources are usually limited. VM ensures that they are used to greatest effect.

The value ratio provides a measure for benchmarking.

To succeed, VM requires the visible support and understanding at the highest levels of management. Otherwise it may be stifled by those who want to resist change. Availability of resources is usually limited, providing a constraint upon the degree to which needs may be satisfied.

Maximizing the satisfaction of needs for the available resources provides the central challenge in Value Management.

4.4.5 Value Comparisons

The Value Ratio provides a measure of value for comparing solutions.

4.5 The Value Management Approach

Successful implementation of Value Management requires structure and commitment. This means:

- visible commitment by the highest levels of management;
- the existence of a Value Management Policy consistent with the organization's goals;
- definition of objectives in terms of value;
- the setting up of a Framework defining how and by whom the Policy will be implemented;
- introduction and development of a Value Culture;
- management's responsibilities to include application of the principles of Value Management, intuitively to day to day tasks and formally in Value Studies;
- development of a programme for continuous value improvement including establishing awareness of value drivers, conducting studies and the adoption of other processes to add value to ongoing operations;
- feed-back of results for continuous improvement.

Case Study: Director support results in a successful Value Management programme

A main board director of a national retail and leisure company demonstrated his support for their Value Management programme by addressing management seminars and personally attending workshops. The programme reduced capital and operating costs by 10 % to 15 % and halved project delivery times.

5 The application of Value Management

This clause expands on clause 4 to describe how Value Management should be applied in practice. Successful value management results from the effective interaction of a management style focused on value with human dynamics and the operating environment using the appropriate methods and tools.

5.1 Application of the principles

Management Style

The ethos and values of management should be focused on the concepts of value and function. Products, systems and services should be evaluated by reference to their purpose, not the means of their delivery, in order to improve their value. This calls for the people to work together, encouragement of creativity, a clear customer focus, and objective evaluation against targets.

Positive human dynamics

Management has to recognize that people are their most valuable resource and put in place measures to optimize this resource.

This will involve:

- good communications;
- emphasis on working together;
- encouraging success;
- avoiding blame.

Study leaders should be familiar with techniques for selecting team members, building teams and managing groups of people. Training in these skills may be needed.

Environmental consideration

There will usually be factors both within an organization and external to it over which management may have little or no control. These could include statutory requirements and guidelines, ecological considerations, markets, or matters of policy or culture.

Some of these may act as constraints upon a study and be effectively excluded from its remit (these are often called "givens").

Effective VM demands a style of management focused on value and encouraging innovation.

Management should encourage people to work together effectively,

without apportioning blame

...... and developing individual competencies.

The circumstances in which a study is conducted may constrain what those involved can achieve. Challenge of unnecessary constraints opens up opportunities to add value.

The methods and tools (techniques) described In the standard include Value Engineering.

The standard only includes techniques for which national standards already exist.

The list is not exhaustive and should not restrict the Value Manager using whatever techniques may be appropriate for the circumstances. Others will offer opportunities for enhancing value if the constraint can be challenged.

The environment within which a study is conducted should be carefully explored.

Methods and tools

In these guidelines, the term technique is also used to embrace both methods and tools.

Techniques fall into two categories:

- those which describe the overall plan for undertaking a Value Management study (for example, Value Engineering/Analysis);
- those used within a study (for example, brainstorming).

Some of the methods are outlined in clause **6** of these guidelines and in the informative annex A of the standard.

These techniques are not the only ones that may be used, and were selected for inclusion because various national standards for them already exist.

The Value Manager should feel free to use any appropriate technique that may enhance value. The skilled practitioner will often adapt tried and tested techniques to suit particular circumstances.

The selection of the most appropriate techniques is described in 5.2.

5.2 The Value Management framework

The purpose of the framework is to align a Value Management Programme with an organization's goals, establish a culture, to obtain results to enhance Value for the organization, and to provide feedback for continuous improvement. The framework is illustrated below.




Figure 7 – Simplified Value Management Framework

Case Study: Introducing Value Management in a global project management consultancy

A 2000 strong global construction cost and project management consultancy used the framework to harmonize the delivery of Value Management services to their clients. A training programme enabled selected consultants to deliver services to a wide range of clients. At the same time it engendered a consistent group culture to deliver certainty and value. Within 2 years the services were offered to all

The culture will reflect the values of the organization.

Policy will represent a balance between what is best for all stakeholders.

Exploring each of the components of Figure 7 in more detail we have:

Value Culture

This embraces the attitudes, ethos, awareness and understanding of those things that ensure better value for the organization, customers and stakeholders. It will be different in different organizations. It results from training, good communication and experiential feedback.

Value Management Policy

This will be agreed at the highest management level and will reflect the organization's goals and values. It should represent a balance of what is good for the organization internally, and what is good for stakeholders and customers.

Delivery of the policy should be the responsibility of a single individual (the Value Manager) or small steering committee.

Value Management Programme

The Value Manager, or steering committee, will plan structured activities to develop, implement and sustain delivery of the (Value Management) Policy. This is known as the Programme. It will include:


- integration of Value Management within the organization and development of procedures;
- quantified targets, performance indicators and other means for assessing results;
- criteria for selection of subjects for Value Management studies;
- appropriate resources, teams, timetables and budgets including selection of study leaders (often known as facilitators);
- a plan for appropriate deployment of resources;
- training and awareness for members of the organization including facilitators;
- integration with other management initiatives;
- a management plan of actions to be taken to implement the outcome of Value Management studies;
- mechanisms for the audit or feedback of results and continuous improvement (for example by a way of a procedures manual).

In larger organizations, the Value Manager may be the full time task for a single individual. In smaller organizations, it is likely to form only part of that individual's responsibilities.

The Programme is a plan to develop, implement and sustain VM within an organization.

It should be the responsibility of an individual or a small steering group.

It should include training to develop competencies and culture, and a plan of specific activities to improve value.



Case Study: Improving asset performance

A global manufacturing company identified a need to improve asset performance to maintain competitiveness. It identified Value Engineering as one of the methods to achieve this. It trained staff to facilitate VE/A workshops, initially with assistance from consultants. It monitored individual studies against a target of 12 % cost reduction. Over 2 years they achieved cost reductions varying between 10 % and 25 % on £650m capital investment.

Value Management applied to projects

Value Management in projects should be a continuous process coupled with formal studies focused on specific issues. Formal studies should be undertaken at project milestones to inform the review/approval process, or at other times to suit the circumstances. The objectives of the formal studies will change as the project proceeds. Value Management confirms achievement of expectations at each stage of the project, supporting progress to the next stage.

VM should be used to

to suit circumstances.

milestones or other times

review projects at

Typical milestones and the study objectives are illustrated below:

| Project stage | Possible objectives |
|---------------------------|-------------------------------------|
| Inception | Establish need and required outcome |
| Concept | Improve strategy |
| Feasibility and design | Enhance viability |
| Implementation and design | Maximize cost effectiveness |
| Use | Improve products or processes |

Value Management Training

Training is necessary to develop individual competencies as well as create awareness and develop an appropriate culture within the organization.

A training programme needs to address each area of competence required to implement a Value Management programme, specifically:

- awareness and support for Senior Managers;
- application for value practitioners;
- participation for team members;
- awareness for other staff.

The European Training and Certification System provides an internationally recognized measure of individual competence.

Training needs have to be

assessed and addressed

for all levels of management.

As the value culture develops and their experience increases, individuals will learn to apply Value Management to more complex and strategic situations.

Organizations need to avoid exposing inexperienced individuals to challenges that exceed their competence levels.

NOTE The European Training and Certification System (which has been adopted by The Institute of Value Management in the UK) has been developed from the principles set out in the standard. It provides a method of assessing individuals' competence in their knowledge and application of methods and mastering team skills for Value Management studies.

| The European Training and Certification system | | | | | |
|--|---|--|--|--|--|
| Key Training Course Certificate | | | | | |
| 2 | PVM trainer | | | | |
| | Advanced 2 | | | | |
| Advanced 1 | | | | | |
| Basic Course | | | | | |
| Continuous profes | sional development | | | | |
| | je Bengelo Maneko da se | | | | |

15

The standard describes the methods most commonly used in value management. The list is neither restrictive nor exhaustive.

6 Value Management methods and tools

6.1 A selection of methods commonly used in Value Management

As Value Management has evolved, so a number of tested methods have been developed. The standard describes some of the most commonly used techniques, for which national standards exist in some countries, in the informative annex A to the standard. This list should not restrict Value Managers or Study Leaders in their choice of the most appropriate techniques to employ during a study.

The European Training and Certification System (see clause 5) identifies numerous other techniques and indicates when they may be useful.

6.2 Specific Value methods and tools

VE/A is a proven method which improves product or service effectiveness and increases an organization's competitiveness.

6.2.1 Value Engineering/ Analysis (VE/A) (See clause 3, note 1)

This well-established method delivers the required functionality more effectively. The method includes Function Analysis (see 6.2.2) and relies on a creative approach and objective evaluation. It delivers quantified results. VE/A is a powerful method that increases competitiveness of an organization's offerings by augmenting the effectiveness of its products.

Case Study A: Multiple stakeholders and the VE/A methodology deliver previously unattainable results

An automotive manufacturer planned to purchase a machining transfer line. Following a 6-month simultaneous engineering study, the potential purchase price had been reduced from about £30m by almost 10 %. This was still too expensive. A Value Engineering study involving stakeholders from four nationalities identified a further 5 % savings in a 3-day workshop – all from new opportunities revealed by the VE/A approach.

Case Study B: Adding value in property development

A developer requested a VE/A study to enhance the viability of a landmark city office building. In a one-day workshop the team identified proposals to enhance value by 5 % and, at the same time, reduce costs by a similar amount. At a meeting with decision takers about one week later all proposals were accepted.

Case Study C: Making public services more competitive

"VE/A played a significant part in winning the contracts and saving 50 jobs". So said the director of the building maintenance service of a London Borough that won £2.25m of contracts in the face of tough private sector competition. Invariably when a public service faces competition and uses Value Management, it wins.

Function Analysis provides the basis for creativity and innovation by abstracting the subject from its solutions.

It helps those involved to share their understanding of a situation.

6.2.2 Function Analysis (The standard uses the term Functional Analysis; however, see clause 3, note 1)

Function Analysis lies at the heart of the value management methodology. It involves the identification of functions (expression of the need), their validation and characterization (criteria-leveltolerance). One objective is to create a shared understanding of the project fundamentals by the stakeholders.

The technique can be used at organizational, tactical, technical or operational levels to qualify and quantify expected performance. It enables an abstraction from solutions, which encourages creativity, innovation and consensus.

Function models come in a number of different forms. They are used to help provide a common understanding of the product, system or process under consideration.

Case Study A: Identifying the needs and expectations of stakeholders

The growth of a pharmaceutical company necessitated a series of construction, management and human resources projects. Function Analysis enabled representatives of all parties involved to identify their needs and expectations. This led to a shared understanding of the issues and an agreed programme management structure, including definition of roles and responsibilities.

Case Study B: Recognizing the true function is the key to innovation

Recognizing that the true function of selling photocopying equipment to their clients was really to "enable photocopying" allowed one company to revolutionize its sales strategy. Instead of selling the machines, it rents out the machines for a flat fee and charges a small sum for each copy made.

| Allocating costs to functions enables the comparison of alternatives based on 'value for money'. | 6.2.3 Function cost Function cost identifies the cost required to perform a function, independently from the chosen solution. It enables the team to allocate the cost of providing a function and then comparing this with its importance. This enables an evaluation of alternative solutions on their potential to provide the best "value for money" |
|--|---|
| money . | their potential to provide the best "value for money". |

Case Study A: Increasing competitiveness using Function Cost Analysis

A car supplier had identified excessive repair costs as the main impediment to sales of its used cars. Function Cost Analysis identified that the real cost driver was the time it took to get cars to market, adversely influencing finance and depreciation costs. Reducing stock times enabled it to price its offerings more competitively.

Case Study B: Eliminating unnecessary costs

A pharmaceutical company planned a new production facility in South-East Asia. Function Cost Analysis revealed that over 15 % of the construction cost was driven by the function "Enhance Image". The facility was not intended as a showpiece facility so costs were reduced by 10 % without affecting utility.

6.2.4 Functional Performance Specification (FPS)

Specifications expressed in terms of functions give providers greater freedom for innovation. Clients get more competitive results. This is a document that describes user needs in terms of functional performance without reference to specific solutions. It specifies the evaluation criteria, levels and tolerance of the various functions, which are acceptable to the user. This encourages constructive dialogue with the client and enables the provider to express greater creativity in the delivery of solutions. The FPS can be used in a wide range of situations.

Case Study: Defining energy savings expectations in a subsidy programme

An electricity company wanted to launch a subsidy programme based on energy savings. It decided to implement a programme to identify areas of energy consumption. Using function analysis, it developed criteria, levels and tolerance of energy consumption for each element from a benchmarking study. The team defined the required energy levels using a FPS derived from this data.

6.2.5 Design To Cost (DTC) / Design to Objectives (DTO)

Design to Cost/Objectives subordinates the whole value management process to parameters set by the client. Design to Cost prescribes the maximum cost that a client is able or willing to invest in the delivery of a product, system or service of given functionality. All other parameters are secondary to the achievement of that cost target. The process requires a firm coordination of all the partners of a project and control measures that set trade-off rules and cost estimating methods.

The concept of Design to Objectives acknowledges the non-financial parameters that could also be prescribed.

Case Study: Design to time for the construction of a four star hotel

Time was identified as the overriding priority for delivering a luxury hotel to meet immovable deadlines. A series of workshops focused on delivering the required functionality within the defined time constraints. The client understood and accepted the necessary increased costs.

BSI — British Standards Institution

BSI is the independent national body responsible for preparing British Standards. It presents the UK view on standards in Europe and at the international level. It is incorporated by Royal Charter.

Revisions

British Standards are updated by amendment or revision. Users of British Standards should make sure that they possess the latest amendments or editions.

It is the constant aim of BSI to improve the quality of our products and services. We would be grateful if anyone finding an inaccuracy or ambiguity while using this British Standard would inform the Secretary of the technical committee responsible, the identity of which can be found on the inside front cover. Tel: 020 8996 9000. Fax: 020 8996 7400.

BSI offers members an individual updating service called PLUS which ensures that subscribers automatically receive the latest editions of standards.

Buying standards

Orders for all BSI, international and foreign standards publications should be addressed to Customer Services. Tel: 020 8996 9001. Fax: 020 8996 7001.

In response to orders for international standards, it is BSI policy to supply the BSI implementation of those that have been published as British Standards, unless otherwise requested.

Information on standards

BSI provides a wide range of information on national, European and international standards through its Library and its Technical Help to Exporters Service. Various BSI electronic information services are also available which give details on all its products and services. Contact the Information Centre. Tel: 020 8996 7111. Fax: 020 8996 7048.

Subscribing members of BSI are kept up to date with standards developments and receive substantial discounts on the purchase price of standards. For details of these and other benefits contact Membership Administration. Tel: 020 8996 7002. Fax: 020 8996 7001.

Copyright

Copyright subsists in all BSI publications. BSI also holds the copyright, in the UK, of the publications of the international standardization bodies. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from DSL

This does not preclude the free use, in the course of implementing the standard, of necessary details such as symbols, and size, type or grade designations. If these details are to be used for any other purpose than implementation then the prior written permission of BSI must be obtained.

If permission is granted, the terms may include royalty payments or a licensing agreement. Details and advice can be obtained from the Copyright Manager. Tel: 020 8996 7070.

3SI 389 Chiswick High Road London 3V4 4AL