

# GUIDE SIGNS DESIGN AND APPLICATION



Ketua Pengarah Kerja Raya Jabatan Kerja Raya Malaysia Jalan Sultan Salahuddin 50582 Kuala Lumpur

#### **FOREWORD**

The purpose of this manual is to establish uniformity in design and application of all traffic signs and control devices in Malaysia for the benefit of road users, road and traffic authorities, and manufacturers of traffic signs.

As practices in road infrastructure change over time, it is imperative for Jabatan Kerja Raya (JKR) to continuously update and improve their standard guidelines. The previous drafts on Arahan Teknik (Jalan) 2E/87: "Guide Signs Design and Application" published by JKR in 1986 is superseded by this new Arahan Teknik (Jalan) 2E/87 (Pindaan 2011), hereinafter called ATJ 2E/87 (Pindaan 2011): "Guide Signs Design and Application". This new document covers among others general requirements, principles, classification and latest design layout for guide signs.

It must be noted that the sign's designs and application standards indicated in this Arahan Teknik and those in series 2/85 are to be followed at all times.

The compilation of this document was carried out through many discussions held by the technical committee members with various experts in their respective fields. Feedbacks and comments received were carefully considered and incorporated into the document wherever appropriate.

This ATJ will be reviewed and updated from time to time to cater for the changes on policies and current requirements. In this respect any comments and feedback regarding this ATJ should be forwarded to:-

Unit Standard dan Spesifikasi
Bahagian Penyelarasan dan Khidmat Sokongan
Cawangan Kejuruteraan Jalan dan Geoteknik
Ibu Pejabat JKR Malaysia
Tingkat 26, Menara PJD
No. 50, Jalan Tun Razak
50400 Kuala Lumpur.

### **ACKNOWLEDGEMENT**

This ATJ 2E/87 (Pindaan 2011) was prepared by a working committee comprised of the following members:

Ir. Mohd Hizam Bin Harun (Chairman)	Bahagian Senggara Fasiliti Jalan, JKR
Pn. Roziawati Binti Razali	Bahagian Senggara Fasiliti Jalan, JKR
Pn. Jazlina Nor Binti Sarif	Bahagian Senggara Fasiliti Jalan, JKR
En. Afandi Akmal Bin Ayob	Bahagian Senggara Fasiliti Jalan, JKR
En. Zolfadli Bin Omar	Bahagian Senggara Fasiliti Jalan, JKR
Pn. Fatimah Nuri Binti Mohd Yusof	Cawangan Kej. Jalan & Geoteknik, JKR
Pn. Hafisza Binti Abd Hamid	Cawangan Kej. Jalan & Geoteknik, JKR
Pn. Normah Binti Mukri	Cawangan Kej. Jalan & Geoteknik, JKR
En. Abd Halim Bin Yahaya	Cawangan Kej. Jalan & Geoteknik, JKR
En. Ahmad Khawarizmi Bin Abdul Jamil	JKR Sepang
En. Shamsul Bin Jaharudin	3M Malaysia Sdn. Bhd.
En. Loke Hoe Chiew	Kemakmuran 2000 Sdn. Bhd.

Special thanks and appreciation to the following proof reader:

Ir. Razhiah Binti Wahab

Cawangan Kej. Jalan & Geoteknik, JKR

Finally, the publisher would like to express its gratitude to the above committee members for their substantial contributions towards the successful completion of this document.

Published by:-

Cawangan Kejuruteraan Jalan dan Geoteknik Ibu Pejabat JKR Malaysia Tingkat 26, Menara PJD No. 50, Jalan Tun Razak 50400 Kuala Lumpur.

# **GUIDE SIGNS DESIGN AND APPLICATION**

		<u>CONTENTS</u>	<u>PAGE</u>
PART	ONE: G	ENERAL ON TRAFFIC SIGNS	
1.1	Purpos	e	1-1
1.2	Genera	al Principles	1-1
1.3	Classifi	cation	1-2
<u>PART</u>	TWO: C	SENERAL DESIGN CONSIDERATION ON TRAFFIC SIGNS	
2.1	Colours	3	2-1
2.2	Letterir	ngs and Borders	2-1
2.3	Symbo	ls	2-1
2.4	Post ar	nd Mounting	2-1
2.5	Materia	ıls	2-2
<u>PART</u>	THREE	: LAYOUT DESIGN AND APPLICATION OF GUIDE SIGNS	
3.1	Genera	ıl	3-1
3.2	Destina	ation Signs	3-1
3.3	Direction	onal Signs	3-6
3.4	Exit Sig	gns	3-13
3.5	Distand	ce Signs	3-15
3.6	Route I	Names	3-17
3.7	Route I	Number Markers	3-17
3.8	Informa	ation Signs	3-24
		Standard Letterings and Symbols	-
	NDIX B	Place Names For Use On Guide Signs On Federal And Major State Roads	
APPE	NDIX C	Standard Abbreviations For Place Names	
APPE	NDIX D	Application Of Guide Signs	
APPE	NDIX E	Colour Codes And Chromaticity Coordinates	
APPE	NDIX F	Addendums, Supplementaries and Sizes	
APPE	NDIX G	Codes For Local Authority Routes	
REFERENCES			

## **LIST OF FIGURE**

<u>FIGUR</u>	<u>RE</u>	<u>PAGE</u>
2.1	Dimension And Border Details	2-4
3.1	Layout Design Of Destination Signs With Exit Signs	3-2
3.2	Layout Design Of Destination Signs Without Exit Signs	3-4
3.3	Layout Design Of Directional Signs With Exit Signs (Stack Type)	3-7
3.3	Layout Design Of Directional Signs With Exit Signs (Map Type)	3-8
3.4	Layout Design Of Directional Signs Without Exit Signs	3-9
3.5	Layout Design Of Directional Signs (Gantry Signs)	3-10
3.6A	An Example Of Directional Sign And Information Sign Placed On The Same Plate According To Direction	3-11
3.6B	An Example Of Directional Sign And Information Sign Mounted On The Same Post	3-12
3.7A	Exit Sign	3-14
3.7B	Exit Sign For Gantry	3-14
3.8	Layout Design Of Distance Sign With Route Numbers And Names	3-16
3.9	Route Numbering System For Local Authority	3-18
3.10	Local Authority Route Number Markers	3-18
3.11	Route Numbering System For Local Authority On Guide Sign	3-19
3.12	Route Numbering System For Local Authority On Destination Sign	3-19
3.13	Layout Design Of Route Number Markers	3-21
3.14	Layout Design Of Route Number Markers	3-22
3.14A	Layout Design Of Route Number Markers For Minor Road	3-23
3.15	Layout Design Of Information Signs (General Service Sign)	3-25
3.16	Layout Design Of Information Signs (Recreational Or Historical and Cultural Interest Area Sign)	3-26
3.17	Layout Design Of Information Signs (Service Sign & Recreational Sign)	3-27
3.18	Layout Design Of Information Signs (Major Housing Estates & River Name Sign)	3-28

<u>FIGUI</u>	<u>RE</u>	<u>PAGE</u>
3.19	Layout Design Of Information Signs (Town or Village Name Sign)	3-29
3.20	Layout Design Of Information Signs (Government Building Sign & Government Related Premises Sign)	3-30
3.21	Layout Design Of Information Signs (Message Sign)	3-31
3.22	Layout Design Of Information Signs (Examples of Message Signs)	3-32
3.23	Layout Design Of Information Signs (Warning Message Sign)	3-33
3.24	Layout Design Of Information Signs (Examples of Warning Message Signs)	3-34
3.25	Layout Design Of Information Signs (Examples of Warning Message Signs)	3-35
A.1	Letterings For Traffic Signs (Transport Heavy Normal Upper Case)	A-1
A.2	Letterings For Traffic Signs (Transport Heavy Normal Lower Case)	A-2
A.3	Letterings For Traffic Signs (Ccrige Narrow Upper Case)	A-3
A.4	Letterings For Traffic Signs (Ccrige Narrow Lower Case)	A-4
A.5	Numerals For Traffic Signs	A-5
A.6	Typical Word Formations And Sample Calculation (Ccrige Narrow Letterings)	A-9
A.7	Typical Word Formations And Sample Calculation (Normal Letterings)	A-10
A.8	Typical Word Arrangements And Sample Calculation (Normal Letterings)	A-11
A.9	Typical Number Formations And Sample Calculation (Normal Letterings)	A-12
A.10	Directional Arrow Dimensions	A-13
A.11	Map Type Diagram (Roundabout) Dimensions	A-14
A.12	Gantry Arrow Dimensions	A-15
A.13	Expressway Logo Dimensions	A-16

<u>FIGUI</u>	<u>RE</u>	<u>PAGE</u>
A.14	Map Type Diagram (Cross Junction) Dimensions	A-17
A.15	Map Type Diagram (T- Junction) Dimensions	A-18
A.16	Map Type Diagram (T- Junction) Dimensions	A-19
A.17	Map Type Diagram (Roundabout) Dimensions	A-20
A.18	Map Type Diagram (Interchange) Dimensions	A-21
A.19	Map Type Diagram (Staggered Junction) Dimensions	A-22
A.20	Map Type Diagram (Staggered Junction) Dimensions	A-23
D.1	Typical Application of Guide Signs For T-Intersection With Exit Signs Leading To Place Names In Appendix B	D-1
D.2	Typical Application of Guide Signs For T-Intersection Not Leading To Place Names In Appendix B But Major State Roads	D-2
D.3	Typical Application of Guide Signs Of Minor Roads	D-3
D.4	Typical Application of Guide Signs For X-Intersection With Exit Signs Leading To Place Names In Appendix B	D-4
D.5	Typical Application Of Guide Signs For X-Intersection Not Leading To Place Names In Appendix B But Major State Roads	D-5
D.6	Typical Application Of Guide Signs For X-Intersection Of Minor Roads	D-6
D.7	Typical Application of Guide Signs For Interchange With Exit Signs Leading To Place Names In Appendix B	D-7
D.8	Typical Application of Guide Signs For Interchange With Signing Leading To Place Names In Appendix B	D-8
D.9	Series of Signs On Highway Approaching Integrated Services and System Interchanges (Through Lane Traffic Priority)	D-9
D.10	Typical Application of Guide Signs For Diamond Interchange With Exit Signs Leading To Place Names In Appendix B	D-10
D.11	Typical Application of Guide Signs For Full Cloverleaf Interchange With Exit Signs Leading To Place Names In Appendix B	D-11
D.12	Actual Examples of Guide Signs Application	D-12
D.13	Details Of The Guide Signs Indicated In Figure D.12	D-13
D.14	Application Of Recreational Area Signs	D-15

<u>FIGURE</u>		<u>PAGE</u>
F.1	Supplementary Standard Warning Signs	F-2
F.2	Addendums To Standard Warning Signs	F-3
F.3	Addendums To Standard Warning Signs	F-4
F.4	Addendums To Standard Warning Signs	F-5
F.5	Supplementary Sign For RM.1	F-6
F.6	Addendums To Standard Regulatory Signs	F-7
F.7	Typical Location Of Signs In Speed Zone	F-9
F.8	Supplementary Standard Warning Signs	F-12

## **LIST OF TABLES**

<u>TABLE</u>		<u>PAGE</u>	
2.1	Colour Of Traffic Signs	2-5	
2.2	Types And Sizes Of Letterings On Traffic Signs	2-7	
2.3	Letter Height Categories	2-8	
2.4	Directional Symbols	2-8	
2.5	Arrangement Of Directional Arrows In Descending Order	2-9	
2.6	High Intensity Prismatic Sheeting (For All Standard Traffic Signs)	2-10	
2.7	Wide Angle Prismatic Sheeting (For All Route Number Markers)	2-10	
3.1	Specifications for Local Authority Route Number Markers	3-18	
3.2	Details Of Route Number Markers	3-20	
3.3	Information Signs	3-24	
A.1	Unit Letter Heights/Letter Widths, Spacing Constants, Mosaic Sizes (Transport Heavy Normal Letters)	A-6	
A.2	Unit Letter Heights/Letter Widths, Spacing Constants, Mosaic Sizes (Ccrige Narrow Letters)	A-7	
A.3	Unit Numeral Widths, Spacing Constants, Mosaic Sizes (Normal And Narrow Numbers)	A-8	
E.1	Chromaticity Coordinates	E-1	
F.1	Size Of Standard Traffic Signs	F-1	
G.1	Codes For Local Authority Routes	G-1	